

FIRE SAFETY EQUIPMENT



C O N T E N T S



1

fire fighting equipment

5 - 28



2

storage & protection

29 - 50



3

safety signs

51 - 60



4

escape equipment

61 - 68



5

door furniture & lighting

69 - 78



6

site alarms & detection

79 - 98



7

passive fire protection

99 - 102



8

first aid equipment

103 - 110

fire fighting equipment

1



FIRE EXTINGUISHERS – An Introduction

Generally, large fires start as small fires, often of a size that can be tackled by suitably trained staff using portable fire extinguishers. Therefore, action by staff can prevent development of a fire that would pose a threat to life, property or operation of a business. In some premises, early action to control a fire in this way can also enable people to assist others, such as disabled people, residents in a care home or patients in a hospital, who are at greater risk in the event of fire.

LEGAL REQUIREMENTS

The Regulatory Reform (Fire Safety) Order 2005 which applies to virtually all premises other than dwellings, requires that, where necessary in order to safeguard everyone who is lawfully on, or in the immediate vicinity of, the premises, the premises must be equipped with appropriate fire-fighting equipment. This requirement is supplemented by a requirement to take measures for fire-fighting, adapted to the nature of the activities carried on, the size of the undertaking and of the premises concerned.

The necessity of fire-fighting equipment under the Order may arise from the features of the premises, the activity carried on in the premises, the fire hazards or any other relevant circumstances. Establishment of the need for fire-fighting equipment arises from a fire risk assessment and it is likely to be extremely rare for any fire risk assessment to determine that the provision of such equipment is not necessary.

OFFICIAL GUIDANCE

The Regulatory Reform (Fire Safety) Order is supported, in England and Wales, by eleven guides produced by the Department for Communities and Local Government (DCLG). The guides advocate the provision of fire-fighting equipment in premises, and they provide recommendations for the selection and siting of appliances. In the case of portable fire extinguishers, more detailed guidance is provided in BS 5306-8, available on catalogue page 144.

TYPES OF FIRE EXTINGUISHER

Portable fire extinguishers are the most universally applicable form of fire extinguishing appliance. Trolley mounted extinguishers are used only for special applications, where there may be a need for trained operators to tackle a large fire, such as one involving a significant quantity of flammable liquid.

Fires are classed according to the material that is burning. The fire extinguishers provided need to be appropriate for the class of fire. The classes are described in the table below.

Class of fire	Description
 Class A	Fires involving solid, usually carbon-based materials, which burn with glowing embers, such as wood, paper or textiles
 Class B	Fires involving flammable liquids, such as petrol, diesel, oils, etc
 Class C	Fires involving gases
 Class D	Fires involving metals
 Class F	Fires involving cooking fats and oils, such as would be found in deep-fat fryers

Portable fire extinguishers are rated according to the maximum size of fire that a trained operator can control with the extinguisher. In most workplaces, such as offices, shops and factories, water, or water-based extinguishers are appropriate. Typically, a 13A-rated fire extinguisher should be provided for each 200 square metres of floor area and extinguishers should be sited at fire exits and on escape routes, such that no one needs to walk further than 30m to reach the nearest fire extinguisher. These Class A extinguishers should be supplemented by extinguishers suitable for use on live electrical equipment (normally carbon dioxide extinguishers) wherever such equipment is situated within the area. Where there is a commercial kitchen with deep-fat fryers, one or more Class F extinguishers and/or fire blankets are likely to be appropriate.





Water Extinguisher

Product Code:

EXTINGUISHER NW6 **EXTINGUISHER NW9**

Water is still one of the most useful of all available fire extinguishants, and these Firechief water extinguishers offer excellent fire suppression for attacking freely burning materials such as paper, cloth and wood.

- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- Kitemarked to BSEN3
- Complete with bracket



Licence No. KM 6962



DESCRIPTION	CODE	FIRE RATING
6L Water	NW6	13A
9L Water	NW9	21A



NW6

NW9





Spray Foam Extinguishers

Product Code: _____

EXTINGUISHER NF6

EXTINGUISHER NF9



GLOBEX spray foam extinguishers provide a fast, powerful means of tackling class 'A' and 'B' fires.

Highly effective against petrol and volatile liquids, forming a flame smothering seal over the surface and also preventing re-ignition, they are ideal for multi-risk usage.

- Spray nozzle
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- Kitemarked to BSEN3
- Complete with bracket



License No KM 6962

DESCRIPTION	CODE	FIRE RATING
6L Foam	NF6	21A/144B
9L Foam	NF9	21A/183B



NF6

NF9





CO₂ Extinguishers

Product Code:

EXTINGUISHER NCS2 EXTINGUISHER NCS

Both of the GLOBEX CO₂ models have non-conductive, anti-static horns and are suitable for situations involving flammable liquids and electrical hazards. CO₂ is harmless to delicate equipment and materials. Ideal for modern office environments, all electrical risks and where oils, spirits, solvents and waxes are in use.

- Squeeze grip operation
- Corrosion resistant finish
- Harmless to machinery
- Kitemarked to BSEN3
- Complete with bracket.



Licence No. KM 6962

FIRECHIEF EXTINGUISHERS

DESCRIPTION	CODE	FIRE RATING
2kg CO ₂ (steel)	NCS2	34B
5kg CO ₂ (steel)	NCS	55B



NCS2

NCS





CD5P

CD2P

SPS9

SPS6

SFS9

SFS6

SWS9

Stainless Steel and Polished Aluminium Fire Extinguishers

- Stored pressure extinguishers with highly polished finish for maximum impact
- Ideal for architecturally sensitive environments and design-led interiors
- Ideal for clean room applications where hygiene is paramount
- Squeeze grip operation
- Protective plastic base
- Complete with bracket
- Frost-free horn on 2kg CO₂ extinguisher



Water Extinguishers

Code	Capacity	Rating	Dimensions
SWS9	9Ltr	13A	H685mm x Ø 170mm
SWS6A	6LtrWater + Additive	21A	H490mm x Ø 170mm NEW

Foam Extinguishers

Code	Capacity	Rating	Dimensions
SFS6	6Ltr	21A 183B	H490mm x Ø 170mm
SFS9	9Ltr	27A 233B	H685mm x Ø 170mm

Powder Extinguishers

Code	Capacity	Rating	Dimensions
SPS6	6Kg	34A 233B	H490mm x Ø 170mm
SPS9	9Kg	43A 233B	H685mm x Ø 170mm

CO₂ Extinguishers

Code	Capacity	Rating	Dimensions
CD2P	2Kg	55B	H530mm x Ø 117mm
CD5P	5Kg	89B	H800mm x Ø 152mm





Wet Chemical Extinguisher

Product Code:

EXTINGUISHER NKE6

The FIREPOWER wet chemical extinguisher is ideal for Class 'F' fires, involving cooking oils and fats. It is extremely effective as the wet chemical rapidly knocks the flames out, cools the burning oil and chemically reacts to produce a soap-like solution, sealing the surface and preventing re-ignition. Independent fire tests have established that it is capable of extinguishing a fire in a 75litre capacity deep fat fryer. The extinguisher is easy to use, producing a gentle, but highly effective spray. The gentle application helps prevent hot oil splashing on the user.

- Kitemarked to BS7937
- User friendly 6 litre size – supplied factory filled
- Cylinder, lance and nozzle constructed from high quality stainless steel
- Unique hose swivel joint for easy directional control
- Simple to use with controllable discharge
- Suitable for use on freely burning materials (Class 'A')
- MED approved



NKE6



DESCRIPTION	CODE
6L Wet Chemical	NKE61



Specialist Powder Extinguishers

Product Code:

EXTINGUISHER OPM9

EXTINGUISHER OPL9

EXTINGUISHER FPP9M

These special powder extinguishers are designed specifically to fight combustible metal fires (Class 'D'), such as sodium, lithium, magnesium and aluminium when in the form of swarf or powder. The extinguishers are equipped with a special very low velocity applicator to ensure the fire fighting powder is applied efficiently and effectively to the burning metal and prevent burning swarf from spreading. The L2 version contains powder formulated for extinguishing all metal fires including lithium. The Firepower Monnex Powder 9kg extinguisher is recommended for use on class B and C fires where superior fire extinguishing qualities are required.

- Unique lance applicator designed to allow the powder to fall evenly over the fire
- Colour coded area for easy identification
- Highly effective against metal fires which include lithium, sodium, magnesium and aluminium when in the form of powder or swarf
- L2 contains powder suitable for fires involving lithium
- M28 does not cover lithium fire risks
- Unique hose swivel joint for easy directional control



OPM9

Code	Capacity	Operation	Contents	Filled Weight
OPM9	9Kg	Stored Pressure	M28 Powder	17Kg
OPL9	9Kg	Stored Pressure	L2 Powder	14.5Kg
FPP9M	9kg	Stored Pressure	Monnex powder	14.5kg

NEW





WHEELED FIRE EXTINGUISHERS

Suitable for protecting large industrial risks, the Firechief range of wheeled extinguishers includes a full spectrum of extinguishants and sizes. With Marine approved units and specific requirements available on special request, we are confident that your requirements can be met with Firechief.

Built to exacting standards, with all models mounted on a strong steel chassis and featuring solid rubber tyres, these stored pressure extinguishers offer reliability when tackling large fire risks. What's more, with most of the range available from stock, we can respond straight away – call our sales line now for an individual quotation on your requirements.

- Simple one-man operation
- All extinguishers fitted with safety valve as standard
- Foam models feature stainless steel body for long life
- Refillable stored pressure units
- Cartridge operated models available on special request
- Marine Approved models available
- All Extinguishers supplied filled and charged

ABC Powder Wheeled Extinguishers



Code	Capacity	Contents	Operation	Marine Approved
Extinguisher PS30	30Kg	ABC Powder	Stored Pressure	
Extinguisher PS50	50Kg	ABC Powder	Stored Pressure	
Extinguisher PS100	100Kg	ABC Powder	Stored Pressure	
Extinguisher PS30M	30Kg	ABC Powder	Stored Pressure	✓
Extinguisher PS50M	50Kg	ABC Powder	Stored Pressure	✓
Extinguisher PS100M	100Kg	ABC Powder	Stored Pressure	✓

N.B. Monnex powder units available on special order



PS50



AFFF Foam Wheeled Extinguishers

Code	Capacity	Contents	Operation	Marine Approved
Extinguisher FS30	30Ltr	AFFF Foam	Stored Pressure	
Extinguisher FS50	50Ltr	AFFF Foam	Stored Pressure	
Extinguisher FS100	100Ltr	AFFF Foam	Stored Pressure	
Extinguisher FS50M	50Ltr	AFFF Foam	Stored Pressure	✓



PS100



CO₂ Wheeled Extinguishers

Code	Capacity	Contents	Marine Approved
Extinguisher CD20	20Kg	CO ₂	
Extinguisher CD30	30Kg	CO ₂	
Extinguisher CD20M	20Kg	CO ₂	✓
Extinguisher CD30M	30Kg	CO ₂	✓



CD30



Layflat Hose

Product Code:

HOSE LH65/23

HOSE LH45/18

- Constructed from close woven twill polyester filament yarns with synthetic rubber lining
- Coated with a polyurethane outer coating for extra abrasion resistance
- Lightweight with exceptional strength
- Small coil size for minimum storage space
- Easy to repair
- No drying – quick to stow
- Meets requirements of BS 6391:1983 Type 1 and 2
- Complete with light alloy couplings



LH65/23

Code	Internal Diameter	Hose Length
LH65/23	65mm	23m
LH45/18	45mm	18.3m

Single Head Brigade Standpipe

Product Code:

STANDPIPE SPB1

- Single standpipe in aluminium alloy with standard 2½" female BSRT inlet.



SPB1



SPB2

Double Head Brigade Standpipe

Product Code:

STANDPIPE SPB2

- Double standpipe in aluminium alloy with standard 2½" female BSRT inlet.



SPC1

Single Head Contractors Standpipe

Product Code:

STANDPIPE SPC1

- Single standpipe in aluminium alloy with single brass bib-tap, 1" bore with double check valve.

Hydrant Key and Bar

Product Code:

KEY HKB1

KEY HKB2

- Made from aluminium alloy (KEY HKB1) or steel (KEY HKB2).
- For use when turning the water supply on and off via the hydrant.





Flame Retardant Spray

Product Code:

SPRAY FRS1 - 750ml Spray Bottle

SPRAY FRS2- 5L Refill Bottle

- New, water-based fire proofing spray
- Will treat any water-absorbent material including natural and synthetic materials and fabrics
- Passed BSS852:1990 and BSS867: Part 2: 1980
- Colourless, odourless, non-toxic and practically unnoticeable when dry
- Easy to apply
- Available in 750ml spray containers and 5 litre refill bottles



FRS2

FRS1



Uncoated fabric under fire conditions



Coating fabric with Flame Retardant Spray



Coated fabric under fire conditions

Brazing Mat

Product Code:

MAT SAB2

- Protective mat for use in plumbing and brazing applications
- Manufactured using high specification woven silica outer combined with a heat reflecting foil backed inner
- Suitable for use with new high temperature brazing gases
- Overall mat size: 300mm x 300mm

SAB2



Dust Sheet - Flame Retardant

Product Code:

DUSTSHEET FRC1

- Developed to meet Health & Safety guidelines when working in public areas
- Made from fully washable, Proban treated, heavy weight, close-woven cotton
- Overall sheet size: 3.65m x 2.75m



FRC1

Polythene - Flame Retardant

Product Code:

POLYTHENE FRP1

- LPCB tested and approved
- Heavy duty 250 micron polythene for use as protective sheeting in all construction applications
- Supplied in 25m rolls. Roll width: 4m



FRP1




Translucent Welding Screen - Light Duty

- Protects from welding glare, grinding, sparks etc.
- Conforms to BSEN 1598: 1998
- Supplied complete with brass-reinforced eyelets
- UV Stabilised
- Nylon reinforced for excellent tear resistance
- Two-way vision for safety and supervision
- Available in both amber and green – to be specified when ordering

Code	Size
Screen TPC1	1.2m x 1m
Screen TPC2	1.2m x 1.8m
Screen TPC3	1.8m x 1.8m
Screen TPC4	1.2m x 2.4m
Screen TPC5	1.8m x 2.4m
Screen TPC6	1.2m x 3.6m
Screen TPC7	1.8m x 3.6m
Screen TPC8	2.4m x 3.6m
Screen TPC9	3.6m x 3.6m



NEW



TPC Amber

TPC Green

Welding Screen Stand

Product Code:

SCREEN STAND WSSI

- Manufactured from high quality, durable steel tubing
- Complete with industrial grade castors for ease of movement
- Designed for use in welding applications
- Supplied with flame retardant, reinforced translucent red PVC screen

Overall Dimensions: H1700mm x W1870mm x D620mm

Screen Size: H1400mm x W1720mm

Neoprene Coated Welding Drape – Medium Duty

- Protects from sparks and medium splatter
- Excellent abrasion resistance and will not deteriorate as a result of oxidation, weathering or flexing
- Coated glass fibre material offers low level of gas permeability
- For use in areas where oils, greases, acidic liquids and vapours are present
- Complete with brass eyelets to secure in position

Code	Size
Screen HSN1-1	1.2m x 1m
Screen HSN1-2	1.2m x 1.8m
Screen HSN1-3	1.8m x 1.8m
Screen HSN1-4	1.2m x 2.4m
Screen HSN1-5	1.8m x 2.4m
Screen HSN1-6	1.2m x 3.6m
Screen HSN1-7	1.8m x 3.6m
Screen HSN1-8	2.4m x 3.6m
Screen HSN1-9	3.6m x 3.6m

HSN1



storage & protection





Rotationally Moulded Cabinets

Manufactured in high-impact resistant plastic, this range of rotationally-moulded cabinets is designed and built to provide long lasting protection. The many unique features include:

- Corrosion-proof design
- Wall, floor, post and vehicle mounting
- Polypropylene vision panels in door
- Internal equipment retaining straps
- Eye-catching colour scheme for maximum impact
- Available with integral cabinet alarm



HS70

HS70K

Single Extinguisher Cabinet

Product Code:	Description:
CABINET HS70	Standard Cabinet
CABINET HS70K	Cabinet with triangular keylocks and keybox

Capacity	Dimension	Height	Width	Depth
1 x 6kg / 6L	Overall	705mm	320mm	253mm
Extinguisher	Internal	620mm	260mm	200mm



HS72

HS72K

Double Extinguisher Cabinet

Product Code:	Description:
CABINET HS72	Standard Cabinet
CABINET HS72K	Cabinet with triangular keylocks and keybox

Capacity	Dimension	Height	Width	Depth
2 x 9kg / 9L	Overall	720mm	580mm	270mm
Extinguishers	Internal	640mm	525mm	205mm



HS83

HS83K

Single Extinguisher Cabinet

Product Code:	Description:
CABINET HS83	Standard Cabinet
CABINET HS83K	Cabinet with triangular keylocks and keybox

Capacity	Dimension	Height	Width	Depth
1 x 9kg / 9L	Overall	830mm	330mm	263mm
Extinguisher	Internal	750mm	270mm	205mm



Double Extinguisher Cabinet

Product Code:
CABINET HS73

Capacity	Overall Dimension	Internal
Dimensions 1 x 6kg/6l Extinguisher+ 1 x 2kg CO ₂ Extinguisher	H72 x W43.5 x D29cm	H61 x W 33 x D21.5cm



HS73



HS95



5kg CO₂ Extinguisher Cabinet

Product Code:
CABINET HS95

Capacity	Overall Dimension	Internal
Dimensions 1 x 5kg CO ₂ Extinguisher	H95 x W43.5 x D28cm	H91.5 x W36 x D19.5cm

Hose/Document Cabinet

Product Code:
CABINET HS56

- Low profile design
- Ideal for lay flat hose & accessories
- Can also be used for storing A3 fire plans
- Water resistant seal
- Incorporates equipment retaining strap

Overall Dimensions	Internal
Dimensions H61 x W50.5 x D19cm	H50 x W39.5 x D14cm



HS56





Fire Equipment Chests

Product Code:

CABINET HSI100

CABINET HSI120

- Advanced weather protection – neoprene seals fitted as standard
- Ideal for deck mounting
- Complete with integral key-lock mechanism
- Other sizes available – details on request



HSI120

Overall Overall Overall Internal Internal

Internal

Code	Height	Width	Depth	Height	Width
HSI100	470mm	1000mm	500mm	390mm	910mm

Depth

Fire Sand Bin & Equipment Chest

Product Code:

CABINET HS49

- Designed for bulk storage of fire sand and other fire fighting compounds
- Maintenance-free, all plastic design
- Constructed from high impact resistant plastic
- Resistant to most chemicals
- Available in different colours – details on request



HS49

Overall Overall Overall Internal Internal

Internal

Code	Height	Width	Depth	Height	Width
HS49					

Depth

Escape Equipment Cabinets

Product Code:

CABINET HSB70

CABINET HSB72

CABINET HSB85

- Designed for prominent storage of breathing apparatus and escape equipment
- Suitable for wall, post or floor mounting
- Maintenance free
- Neoprene weather seal as standard
- Complete with inspection vision panels in door
- Available with optional integral cabinet alarm



HSB70

HSB72

HSB85
(not to scale)

Overall Overall

Overall

Code	Capacity	Height	Width	Depth
HSB70	General Escape Eqpt.	705mm	320mm	253mm
HSB72	6L Single Breathing Apparatus Set	720mm	580mm	270mm
HSB85	Breathing Apparatus & Escape Eqpt.	855mm	565mm	375mm



Vehicle Extinguisher Containers

Product Code:

CABINET HS68

CABINET HS75

CABINET HS64

CABINET HS65

Built to withstand the harshest conditions, this range of rotationally-moulded



*Did you know?...
Fire extinguishers should be provided in commercial vehicles. This is a particular requirement if the vehicle is used*

vehicle extinguisher containers are

the long-proven favourites in their field. Lightweight, strong, resistant to most chemicals and weatherproof, they keep their contents well protected from corrosion and damage.

- Robust, rotationally-moulded design
- High impact resistance
- HS64, HS65 & HS75 feature internal spring mechanism to hold extinguisher
- HS68 supplied with internal retaining straps for extinguisher
- Kits available for easy installation



HS68



HS75



HS64



HS65

Code	Capacity	Dimensions	Height	Width	Depth
HS64	1 x 6kg	Overall	640mm	260mm	275mm
HS65	1 x 6kg	Overall	650mm	260mm	275mm
HS68	1 x 6kg	Overall	680mm	260mm	275mm
HS75	1 x 9/12kg	Overall	730mm	315mm	320mm

2kg Powder Extinguisher Container

CABINET HS03

- Lift off lid design
- No corrosive parts
- Ideal for HGV cabs and other applications



HS03

Capacity	Overall Dimension	Internal

Dimensions

Cabinet Accessories

Product Code:

Code: Description

KIT 65 Fixing Kit for HS64 (30° or 60°)

KIT 55 Fixing Kit for HS75 (30° or 60°)

KIT 56 As Kit 55 (vertical or horizontal)

KIT 80 Kit for mounting front loading containers to a landing leg

KIT 51 Equipment retaining strap

KIT 52 Mounting Feet Kit

KIT 81 2 x Glass and 2 x Key for keybox

KIT 91 Spare key for keybox

Mini Theft Stopper

Product Code:

EXTINGUISHER ALARM STI 6255

- Highly visible 'stop sign' design discourages wrongful use of equipment
- Sounds a powerful 95db (at 1 metre) warning alarm when activated, drawing immediate attention
- Self contained 9v dc alkaline power source is provided
- Two methods of operation – magnetic reed switch activation for cabinet and unique steel contact clip activation for fire extinguisher pins and other free-standing equipment
- Dimensions : Diameter 83mm x Depth 25mm



STI6255



Metal Cabinets

- Galvanised steel construction including hinges
- Scratch-resistant polyester powder-coat finish
- Available with keylock and integral keybox or tamper evident seal closure
- Full internal ventilation
- Can be both wall or floor mounted
- Stands available for free-standing applications
- Rubber weather seal fitted as standard
- Rounded corners for added safety
- Acrylic vision panel for easy extinguisher inspection

2kg Extinguisher Cabinet

Product Code: **CABINET FM2I** Description: Cabinet with Tamper Evident Seal Closure

Capacity	Dimensions	Door Aperture
1 x 2kg / 2L Extinguisher	H49 x W20 x D15.5cm	H40.5 x W13cm



FM2I

2kg/5kg CO₂ Extinguisher Cabinets

Product Code: **CABINET FM2IC** Description: Cabinet with Tamper Evident Seal Closure
CABINET FM2ICK Cabinet with Keylock & Integral Keybox
CABINET FM5IC Cabinet with Tamper Evident Seal Closure
CABINET FM5ICK Cabinet with Keylock & Integral Keybox

Capacity	Dimensions	Door Aperture
1 x 2kg CO ₂	H62 x W33 x D17cm	H53 x W26cm
1 x 5kg CO ₂	H83 x W33 x D19cm	H74 x W26cm



FM2IC

FM5ICK



Single/Double 6kg/6L Extinguisher Cabinets

Product Code: **CABINET FM6I** Description: Cabinet with Tamper Evident Seal Closure
CABINET FM61K Cabinet with Keylock & Integral Keybox
CABINET FM62 Cabinet with Tamper Evident Seal Closure
CABINET FM62K Cabinet with Keylock & Integral Keybox

Capacity	Dimensions	Door Aperture
1 x 6kg/6L	H64 x W31 x D23.5cm	H55 x W24cm
2 x 6kg/6L	H64 x W55 x D23.5cm	H55 x W48cm



FM6I

FM62K



Single/Double/Triple 9kg/9L
Extinguisher Cabinets

- Product Code: Description:
- CABINET FM91** Cabinet with Tamper Evident Seal Closure
 - CABINET FM91K** Cabinet with Keylock & Integral Keybox
 - CABINET FM92** Cabinet with Tamper Evident Seal Closure
 - CABINET FM92K** Cabinet with Keylock & Integral Keybox
 - CABINET FM93** Cabinet with Tamper Evident Seal Closure
 - CABINET FM93K** Cabinet with Keylock & Integral Keybox

Capacity	Dimensions	Door Aperture
1 x 9kg/9L	H75 x W34 x D25.5cm	H66 x W27cm
2 x 9kg/9L	H75 x W55 x D25.5cm	H66 x W48cm
3 x 9kg/9L	H75 x W75 x D27cm	H66 x W68cm



Angled Metal Cabinet Stand

Product Code:
PEDESTAL FMA69

Compatibility	Dimensions - stand only
Cabinets FM62/FM92/FM93	H80 x W39 x D18cm

FMA69
shown with FM92
(not included)

FOR FIRE EXTINGUISHERS.....

PAGE
11-14

Straight Metal Cabinet Stand

Product Code:
PEDESTAL FMS69

Compatibility	Dimensions - stand only
Cabinets FM61/FM62/FM91/FM92	H80 x W27 x D20cm

FMS69
shown with FM91K
(not included)



ARCHITECTURAL FIRE SAFETY CABINETS

Fire safety in building design is a momentous subject – and rightly so. When lives are ultimately at stake, no one can afford to make any mistakes. However, this constraint can present some formidable challenges for the design team behind any project. We thought it was time to ask some questions.

We asked ourselves questions like ‘Why should structured and developed interior schemes be compromised in order to create a safer environment?’ and ‘Why should this emotive and topical issue be at the cost of aesthetics and form?’

We answered them by developing the Arc range of architectural fire safety cabinets.

Designed to integrate seamlessly into any interior, these fire extinguisher cabinets come as standard in a choice of stainless steel, aluminium or white epoxy-coated steel trim.

Also featuring an acrylic glazed door for maximum appliance visibility, solid cast handles and a robust steel plate back box, they are specified and manufactured to protect their contents.

The recent trend towards smaller but more powerful fire extinguishers (by the introduction of chemically advanced fire fighting additives) has enabled us to focus on a cabinet dimension that is minimal in its structural and visual impact. Catering for a single 6l Water with additive or Foam Spray extinguisher, or a combination of the same with the popular 2kg Carbon dioxide extinguisher, more or less covers every fire fighting exigency arising in the modern establishment.

ARCHITECTURAL CABINETS

Recessed Cabinets

The ultimately discreet option, these recessed cabinets offer many possibilities. With a choice of three trim materials, they are ideally suited to the modern interior, for specification at design stage.



Finishes and specials

If our standard finishes are too restrictive for your requirements, endless possibilities are available by special request. Solid doors, locking catches or bespoke etched-look glazing are just some of the options available – simply ask our sales team for more details.



Semi-Recessed Cabinets

These cabinets offer a neat option for the storage of fire extinguishers where wall depth does not permit full recessing. With a maximum projection of only 136 mm and requiring a cavity depth of only 90 mm or 105 mm, they are a consideration for retrofit type projects.



Call our sales office for more details of this unique range of cabinets



Composite Extinguisher Stands*

Product Code:

STAND FES1

STAND FES2

STAND FES3

- Available in red, grey and cream
- New improved design increases strength and extinguisher stability
- Features skirting board cutout for use against wall
- Non-GRP construction – suitable for use in food preparation areas

Code	Capacity	Height	Width	Depth
FES1	1 x 9kg / 9L ext.	685mm	290mm	275mm
FES2	2 x 9kg / 9L ext.	685mm	620mm	275mm
FES3	3 x 9kg / 9L ext.	685mm	960mm	275mm



FES1

FES2

FES3

Rotationally-Moulded Extinguisher Stands*

Product Code:

STAND HS10

STAND HS20

STAND HS30

FIREPOINT HSP3

- Robust rotationally-moulded design
- Manufactured in high impact and chemical resistant plastic
- Available in red, grey and cream
- Fully free-standing design with skirting board recess
- Suitable for use in food preparation and clean room areas
- Optional Firepoint HSP3 provides support for CO₂ extinguishers



HS10

HS20

shown with HSP3 (optional)

Code	Capacity	Height	Width	Depth
HS10	1 x 9kg / 9L ext.	750mm	320mm	300mm
HS20	2 x 9kg / 9L ext.	750mm	620mm	300mm
HS30	3 x 9kg / 9L ext.	750mm	940mm	300mm
HSP3	1x CO ₂ ext.	240mm	230mm	210mm

Rotationally Moulded Extinguisher Stand*

Product Code:

STAND HS26

- Compact design specifically for 1 x 6l foam and 1 x 2kg CO₂ extinguishers
- Available in red, grey and cream
- Conveniently moulded ID sign position
- Ideal for shop and office locations

Code	Capacity	Height	Width	Depth
HS26	1 x 6l foam + 1 x 2kg CO ₂ ext.	620mm	480mm	270mm

* Fire extinguishers supplied separately



HS26



Tubular Extinguisher Stands*

Product Code:

STAND FCC1

STAND FCC2

- Strong single-piece frame construction
- Lightweight for easy installation
- Supplied with multiple bracket kit
- Finished in contemporary chrome

Code	Capacity	Colour	Height	Width	Depth
FCC1	1 x Ext.	Chrome	750mm	320mm	300mm
FCC2	2 x Ext.	750mm	520mm	300mm	



CLIP CFC in action

Sign Clip for Tubular Stand

Product Code:

CLIP CFC

- Use to attach extinguisher ID signs to tubular stand
- Unobtrusive design utilises self-adhesive pad for simple installation
- 1 clip supplied per sign position



FIRE EXTINGUISHER STANDS



Stainless Steel Extinguisher Stands*

Product Code:

STAND FCS1

STAND FCS2

STAND FCS3

- Manufactured from polished and lacquered stainless steel
- Available in both 'J' bracket and CO₂ lug bracket configurations
- Ideal for contemporary design-led interiors
- Portable fire point for multiple applications

Code	Capacity	Height	Width	Depth	Bracket height
FCS1	1 x 2kg CO ₂ Ext.	710mm	260mm	260mm	680mm
FCS2	1 x 6kg/6L Ext.	710mm	260mm	260mm	640mm
FCS3	1 x 9kg/9L Ext.	720mm	340mm	340mm	650mm

* Fire extinguishers supplied separately




Composite Fire Points

Product Code:

- FIRE POINT SFP1**
- FIRE POINT SFP1C**
- FIRE POINT SFP2**
- FIRE POINT SFP2C**

- Durable finish – does not chip or scratch
- Available in red, grey and cream
- Supplied with 'Fire Point' labels
- Non-GRP construction – suitable for food preparation and clean room areas



Code	Capacity	Height	Width	Depth
SFP1	1 x 9kg / 9L Ext.	75mm	345mm	310mm
SFP1C	1 x 2kg CO ₂ Ext.	75mm	310mm	310mm
SFP2	2 x 9kg / 9L Ext.	75mm	655mm	310mm
SFP2C	1 x 9kg / 9L Ext. & 1 x 2kg CO ₂ Ext.	75mm	645mm	310mm

Rotationally Moulded Fire Points

Product Code:

- FIRE POINT HSP1**
- FIRE POINT HSP2**

- Accommodates all makes of portable extinguishers
- Non-slip design
- Suitable for use in clean room or food preparation areas
- Robust rotationally moulded plastic construction
- Free-standing for maximum flexibility
- Available in red, grey and cream



Code	Capacity	Height	Width	Depth
HSP1	1 x Ext.	145mm	320mm	320mm
HSP2	2 x Ext.	145mm	640mm	320mm

Did you know?...
 The Construction (Health, Safety and Welfare) Regulations require that, on construction sites, there must be, where necessary for the health and safety of workers, suitable





Fire Safety Point

Product Code:

FIRE POINT FCP1

- Heavy duty steel construction for maximum strength
- Corrosion resistant epoxy polyester powder coated finish
- Designed to accommodate CO₂ extinguishers – brackets supplied separately
- Can be used with extinguishers up to 200mm diameter
- 750mm x 600mm white rigid foamboard signage area
- Optional castor kit for simple mobilisation
- Fire buckets accommodated using bucket bracket kit
- Fire point label included for customer application
- Extinguishers supplied separately

Capacity	Height	Width	Depth
3 x 9kg / 9L Exts. & accessories	150cm	66.5cm	38cm



FCP1



BRACKET CEB1



KIT CMK1

Rotationally Moulded Cabinet Trolley

Product Code:

TROLLEY FCT85K

- Innovative trolley design featuring the robust HS85K Cabinet
- Ideal for construction site environments
- High level of equipment protection
- Lockable cabinet design featuring integral keybox



FCT85K

	Height	Width	Depth
External	116mm	57mm	60mm
Internal	76mm	50mm	30mm

5kg CO₂ Extinguisher Extension Bracket

Product Code:

BRACKET CEB1

Pack Quantity: 1

Fire Safety Point Mobilisation Kit

Product Code:

KIT CMK1

- Castor kit incorporating 2 x braking castors and 2 x rolling castors
- Maximises flexibility of fire point FCP1

Metal Cabinet Trolley

Product Code:

TROLLEY FMT92

TROLLEY FMT92K

TROLLEY FMT93

TROLLEY FMT93K

- Trolley incorporating high specification galvanised steel cabinet
- Double and triple cabinets available
- Choice of keylock or tamper evident seal closure
- Cabinet carries 10-year anti-corrosion warranty

Code	Door Type	Capacity	Overall Dimensions			Door Aperture	
			Height	Width	Depth	Height	Width
FMT92	Seal	2 x 9kg / 9L Ext.	116cm	55cm	50.5cm	66cm	48cm
FMT92K	Keylock	2 x 9kg / 9L Ext.	116cm	55cm	50.5cm	66cm	48cm
FMT93	Seal	3 x 9kg / 9L Ext.	116cm	75cm	52cm	66cm	68cm
FMT93K	Keylock	3 x 9kg / 9L Ext.	116cm	75cm	52cm	66cm	68cm



FMT92



Mobile Fire Points

Mobile fire points – the essential accessory for multi-risk firefighting. Ideally suited to many applications (e.g. construction sites, petrol forecourts, heavy industrial sites) Firechief trolleys and fire points have the answer for every firefighting exigency.

Designed to withstand the rigours of active use as well as considering for the ergonomic requirements of the user, this comprehensive range has many features to offer:

- Manufactured in the UK
- Single-piece steel mainframe construction for maximum strength
- Corrosion resistant epoxy polyester powder coated finish
- Unique fire bucket support bracket for increased stability
- Solid rubber tyred wheels with polypropylene centres
- Continuous handle design ensures easy single-handed operation
- Designed to accommodate CO₂ fire extinguishers – conversion kits supplied separately
- Can be used with extinguishers up to 200mm diameter
- Rotary hand bell available on all models



Single Fire Extinguisher Trolley*

Product Code:

TROLLEY FCT1

TROLLEY FCT1 c/w RHB

Code	Capacity	Height	Width	Depth
FCT1	1 x 9kg / 9L Ext.	101cm	37cm	45cm
FCT1 c/w RHB	1 x 9kg / 9L Ext. & Bell	101cm	37cm	45cm

Double Fire Extinguisher Trolley*

Product Code:

TROLLEY FCT2

TROLLEY FCT2 c/w RHB

TROLLEY FCT2B

TROLLEY FCT2B c/w RHB

Code	Capacity	Height	Width	Depth
FCT2	2 x 9kg / 9L Ext.	101cm	41cm	45cm
FCT2 c/w RHB	2 x 9kg / 9L Ext. & Bell	101cm	41cm	47cm
FCT2B	2 x 9kg / 9L Ext. & Bucket	116cm	41cm	45cm
FCT2B c/w RHB	2 x 9kg / 9L Ext. & Bucket & Bell	116cm	41cm	47cm



* Fire fighting equipment supplied separately





FCT3B

Triple Fire Extinguisher Trolley*

Product Code:

TROLLEY FCT3

TROLLEY FCT3 c/w RHB

TROLLEY FCT3B

TROLLEY FCT3B c/w RHB

Code	Capacity	Height	Width	Depth
FCT3	3 x 9kg / 9L Ext.	101cm	63cm	45cm
FCT3 c/w RHB	3 x 9kg / 9L Ext. & Bell	102cm	66cm	44cm
FCT3B	3 x 9kg / 9L Ext. & 2 Buckets	116cm	63cm	45cm
FCT3B c/w RHB	3 x 9kg / 9L Ext. & 2 Buckets & Bell	116cm	66cm	47cm

Howler Double Extinguisher Trolley*

- Double trolley designed with backboard to accommodate a Howler Site Alarm (supplied separately)
- Space for fire point signage (supplied) and extinguisher ID signs (not supplied)

Code	Capacity	Height	Width	Depth
FCT2S	2 x 9kg/9L ext.	101cm	63cm	45cm

* Fire fighting equipment supplied separately



FCT2S



Fire Extinguisher Cover

Product Code:

COVER RPV2

COVER RPV3

- Low-cost fire extinguisher protection
- Manufactured in a durable plastic-based textile
- Two sizes to fit all types of portable extinguishers
- Eye-catching red and black design
- Full-length vision panel
- Velcro straps for simple fitting

Code	Capacity	Height	Width
RPV2	Medium 6kg / 6L Ext.	525mm	450mm
RPV3	Large 9kg / 9L Ext.	650mm	450mm



RPV2



RPV3



RPV9

Wheeled Extinguisher Cover

Product Code: Size:

COVER RPV5 20kg CO₂ Extinguisher

COVER RPV6 30kg CO₂ Extinguisher

COVER RPV7 30kg Powder Extinguisher

COVER RPV8 50kg Powder / 50L Foam Extinguisher

COVER RPV9 100kg Powder / 100L Foam Extinguisher

COVER RPV10 Manufactured to Customer Specification

- Designed to complement the Firechief range of wheeled extinguishers
- All sizes available as standard products
- Incorporates vision panel for simple inspection
- Manufactured from a heavy-duty plastic-based textile in fire red

Hose Reel Cover

Product Code:

COVER RPV4

- Designed to fit most 19mm and 25mm fire hose reels
- Easy and quick to fit
- Screen printed 'Fire Hose Reel' decal
- Manufactured in a durable plastic-based textile
- Diameter 580mm x Depth 250mm max.



RPV4




Metal Document Cabinet

Product Code:

CABINET FMDC

- Designed to accommodate A4 ring binders and some lever arch files
- Available in red or white powder coated finish
- Integral key rack
- Tamper evident door seal facility
- Supplied with self-adhesive label for customer application
- Dimensions : H370mm x W300mm x D140mm



FLB I

Fire Log Book

Product Code:

LOGBOOK FLB I

- Professionally designed logbook covering all aspects of fire safety
- Fully compliant with requirements of recent legislation
- Can be personalised – ask a member of the sales team
- Pack quantity : 10

Industrial Document Holder

Product Code:

DOCUMENT HOLDER HSD06

- Designed for machinery documentation
- Tamper-evident seal facility
- Manufactured from chemical and impact resistant plastic
- Dims: H335mm x W340mm x D80mm



HSD06



HSDA4

Tube Document Holder

Product Code:

DOCUMENT HOLDER HSD05

- Strong, rigid design rotationally-moulded for maximum protection
- Ideal for vehicle document applications
- Dual fixing points
- Screw lid with integral rubber seal and retaining chain
- Can accept rolled A3 sized documents
- Size: Diameter 120mm x Length 345mm



HSD05

Soft Pack Document Holder

Product Code:

DOCUMENT HOLDER HSDA4

- With eyelet hanging point for secure fixing
- Screen printed front panel
- Durable finish for long life
- Roomy A4 capacity
- Size : H335mm x W270mm



Extinguisher Brackets

Code	Pack Quantity	Description
Bracket BEJ1	20	'J' Bracket
Bracket BEC2	20	2Kg CO ₂ Lug Bracket
Bracket BEC2A	20	2Kg CO ₂ Inverted Lug Bracket
Bracket BEC5	20	5Kg CO ₂ Lug Bracket

NEW



BEC2A



BEC5



BEJ1



BEC2



TBH1



TBU1



TBC2

Transport Extinguisher Brackets

Code	Description
Bracket TBU1	Universal Transport Bracket
Bracket TBH1	Heavy Duty Transport Bracket
Bracket TBC2	2Kg CO ₂ Transport Bracket
Bracket TBC5	5Kg CO ₂ Transport Bracket
Strap TGS1	Stainless Steel Strap - Ext. NP1
Strap TGS2	Stainless Steel Strap - Ext. FFP2, FFP2, NP2



Extinguisher Backboard

Product Code:

BACKBOARD EBB

- Manufactured from tough, durable, fluted plastic
- Mounting space for all types of location signs
- Complies with HSE Safety Signs and Signals Regulations (Guide Section 103)
- Height: 820mm Width: 300mm



EBB

Wooden Backboard

Product Code:

BACKBOARD WBB

BACKBOARD RBB

- Softwood backboard for wall mounting extinguishers
- Bevelled edge for attractive appearance
- Choice of durable, red semi-gloss finish or unvarnished for customer sealing
- Height: 480mm Width: 72mm Depth: 22mm
- Supplied in pack quantities of 10

WBB



RBB

Premier Backboard

Product Code:

BACKBOARD WCT1

- Suitable for use to mount a single fire extinguisher up to 9kg/9L size
- Manufactured from MDF and finished in semi-gloss white finish
- 'Missing extinguisher' message neatly routed into face of backboard
- Position for standard sized extinguisher ID sign
- Height: 800mm Width: 200mm Depth: 15mm



WCT1



ST1620



Extinguisher Anti-Theft Alarm

Product Code:

ALARM ST16200

- Effective way to stop vandalism, misuse or theft of fire extinguishers
- When extinguisher is removed from its normal position, a piercing 120db alarm will sound
- Easy to install and maintain
- Comes complete with operating cable, aluminium seal, tamper key screwdriver, deactivation cable for servicing and 9v dc power source



Flammable Liquid Cabinets

Product Code:

**CABINET FLC1 CABINET FLC2 CABINET FLC3 CABINET FLC4
STAND FLS**

- All cabinets are compliant with DSEAR 2002 – HS (G) 51, 1990 – Factory Inspectorate Certificate of Approval No1: Parts 3 & 4 – COSHH
- High visibility powder coated finish with appropriate warning labels
- Welded construction in 0.9mm thick steel
- Designed to maintain integrity for 30 minute fire rating
- Supplied with adjustable spillage trays and liquid tight sump
- Doors are rebated and secured by chrome 3 way locking handle

Code	Cabinet type	Ext. Dimensions	No. Shelves
FLC1	Single cabinet	H915 x W459 x D459	1
FLC2	Double cabinet	H712 x W915 x D459	1
FLC3	Double cabinet	H915 x W915 x D459	1
FLC4	Double cabinet	H1830 x W915 x D459	3
FLS	Stand for use with FLC2 & FLC3		



Did you know?...

The use and storage of flammable liquids is controlled under the Dangerous Substances and Explosive Atmospheres Regulations; their effect on general fire precautions also needs to be considered in fire risk assessments. HSE guidance is that containers of flammable liquids

Heavy Duty Hazardous Storage Bins

Product Code:

BIN HSB1 BIN HSB2 BIN HSB3

- All bins are compliant with DSEAR 2002 – HS (G) 51, 1990 – Factory Inspectorate Certificate of Approval No1: Parts 3&4 – COSHH
- Welded construction in 2mm steel plate with flat sealed base
- Hinged lid fitted with safety stay and secured by hasp and staple
- Finished powder coated in red or grey with safety labels

Code	Description	Ext. Dimensions
HSB1	Sloping top bin	H900 x W600 x D600
HSB2	Sloping top bin	H1200 x W900 x D600
HSB3	Flat top bin	H600 x W1200 x D600





NEW



BPWI

Fire Resistant Document Wallet

Product Code:

WALLET BPWI

- The easy way to protect important documents
- Unique fire resistant 5 layer construction
- Designed to protect from domestic fire damage
- Independantly tested in the UK
- Size: 395 x 310mm

Fire-Safe[™] Security Chest

Product Code:

SAFE FSCI

- Proven UL rated – 1/2-hour fire protection
- Key lock for privacy
- Convenient carrying handle
- Accommodates A4 documents lying flat
- Lifetime after-fire replacement guarantee
- Manufacturer's 3-year limited warranty
- Colour: Light Grey



FSCI

Capacity	Weight	Dimensions	Height	Width	Depth
7 Litres	8.6kg	External	159mm	387mm	308mm
		Internal	97mm	330mm	219mm

Fire-safe[™] Waterproof Security File

Product Code:

SAFE FSFI

- Proven UL rated 1 hour fire protection
- ETL tested waterproof seal
- Tubular Keylock
- Carry grips
- Colour: Charcoal Grey



FSFI

Capacity	Weight	Dimensions	Height	Width	Depth
36Litres	45kg	External	359mm	445mm	514mm
		Internal	292mm	352mm	356mm

FIREPROOF SAFES



Fire-Safe[®] Commercial Safe

Product Code:

SAFE FCSI

- UL classified 1-hour proven fire protection
- Combination with key lock
- Locking drawer
- 2 multi-position shelves
- 5 live-locking bolts – continuous bolt on hinge side of door
- Built-in wheels for easy movement
- Colour: Light grey

Capacity	Weight	Dimensions	Height	Width	Depth
129Litres	242kg	External	1010mm	645mm	595mm
		Internal	780mm	475mm	350mm



FCSI

Fire-safe[®] 2-drawer Office File

Product Code:

SAFE FOFI

- Proven UL classified – 1 hour fire protection
- Key lock for privacy
- Smooth, quiet ACCU-RIDE suspension system
- Holds 100 A4 size file folders
- Lifetime after-fire replacement guarantee
- Manufacturer's 5 year limited warranty
- Colour: Light Grey

Capacity	Weight	Dimensions	Height	Width	Depth
67Litres	77kg	External	711mm	438mm	591mm
		Internal	241mm	305mm	457mm



FOFI




safety signs






Escape Route Signs



Double Sided Escape Route Signs



	T	K	J
Add this letter to sign code to specify size when ordering			
Sign			
Viewing distance	17m	22m	30m
Examples of Use	Small offices, small shops and factories	Large offices, large factories, warehouses and shopping centres	Large warehouses, distribution centres and exhibition halls
Size	(120 x 340mm)	(150 x 400mm)	(200 x 450mm)



Hanging Kit

Product Code:

ZHOOKS/CLIPS

This hanging kit consists of two spring double hook fixings, for flat or suspended ceilings.

The spring double hooks enable you to 'stretch' the escape route sign to a viewing height that can be easily seen by occupants travelling within the means of escape route

The signs shown on this page are available in photoluminescent rigid PVC (R) and photoluminescent self-adhesive vinyl (V)



Exit Door Operation and Escape Route Information



24304 PT (100 x 300mm)
24304 K (150 x 400mm)



24303PT
(100 x 300mm)



24775Y
(150 x 100mm)



24776Y
(150 x 100mm)



25129D
(200 x 150mm)



24128D
(200 x 150mm)



24228PT
(100 x 300mm)



24075M
(80 x 200mm)



24467M
(80 x 200mm)



24468M
(80 x 200mm)



24469M
(80 x 200mm)



24248PT
(100 x 300mm)



24273M
(80 x 200mm)



24226M
(80 x 200mm)



24227M
(80 x 200mm)



24273A
(100 x 100mm)



24461A
(100 x 100mm)



24462A
(100 x 100mm)



26434C
(150 x 150mm)

Exit Door Signs and Instructions



25110E
(200 x 200mm)



25257E
(200 x 200mm)



25421B
(80 x 80mm)



25257B
(80 x 80mm)



25140B
(80 x 80mm)



25141B
(80 x 80mm)



25424B
(80 x 80mm)



25123A
(100 x 100mm)



25067A
(100 x 100mm)



25137A
(100 x 100mm)



25421A
(100 x 100mm)



25257A
(100 x 100mm)



25141A
(100 x 100mm)



25110A
(100 x 100mm)



25033A
(100 x 100mm)



25124A
(100 x 100mm)



25485A
(100 x 100mm)



25190A
(100 x 100mm)



25140A
(100 x 100mm)



25424A
(100 x 100mm)



25480A
(100 x 100mm)

The signs shown on this page are available in photoluminescent rigid PVC (R) and photoluminescent self-adhesive vinyl (V)



PHOTOLUMINESCENT SIGNS

Fire Extinguisher Identification Signs



26366M
(200 x 80mm)



26265M
(200 x 80mm)



26360M
(200 x 80mm)



26361M
(200 x 80mm)



26362M
(200 x 80mm)



26365M
(200 x 80mm)



26266M
(200 x 80mm)



26267M
(200 x 80mm)



26364M
(200 x 80mm)



26386M
(200 x 80mm)



26387M
(200 x 80mm)



26474M
(200 x 80mm)



26370 ID (105 x 150mm)
D (150 x 200mm)



26373 ID (105 x 150mm)
D (150 x 200mm)



26374 ID (105 x 150mm)
D (150 x 200mm)



26372 ID (105 x 150mm)
D (150 x 200mm)



26371 ID
(105 x 150mm)



26368 ID
(105 x 150mm)



26375 ID
(105 x 150mm)



26376 ID
(105 x 150mm)



26408 ID
(105 x 150mm)



26407 ID
(105 x 150mm)



26387 ID
(105 x 150mm)



26474 ID
(105 x 150mm)

The signs shown on this page are available in photoluminescent rigid PVC (R) and photoluminescent self-adhesive vinyl (V)



Equipment Location Signs



26490D
(200 x 150mm)



26450D
(200 x 150mm)



26495D
(200 x 150mm)



26459D
(200 x 150mm)



26451D
(200 x 150mm)



26490C
(150 x 150mm)



26450C
(150 x 150mm)



26495C
(150 x 150mm)



26459C
(150 x 150mm)



26422B
(80 x 80mm)



26395D ID
(150 x 200mm)



26394D
(150x 200mm)



26422A
(100 x 100mm)



26314A
(100 x 100mm)



26421A
(100 x 100mm)



26420A
(100 x 100mm)



26424A
(100 x 100mm)



26310M (80 x 200mm)



26454M (80 x 200mm)



26068M (80 x 200mm)



26483M (80 x 200mm)



26449M (80 x 200mm)



26448M (80 x 200mm)



26459M (80 x 200mm)



26401M (80 x 200mm)



26410M (80 x 200mm)



26053M (80 x 200mm)



26054M (80 x 200mm)



26055M (80 x 200mm)



26284M (80 x 200mm)



25546M (80 x 200mm)

The signs shown on this page are available in photoluminescent rigid PVC (R) and photoluminescent self-adhesive vinyl (V)



Hazard Warning and Prohibition Signs



27424D
(200 x 150mm)



27422D
(200 x 150mm)



27423D
(200 x 150mm)



27440D
(200 x 150mm)



28143PT (100 x 300mm)



28091PT (100 x 300mm)



28067PT (100 x 300mm)



28014PT (100 x 300mm)



28103PT (100 x 300mm)



28138PT (100 x 300mm)



28116PT (100 x 300mm)



28064PT (100 x 300mm)



28109PT (100 x 300mm)



28172PT (100 x 300mm)



28115PT (100 x 300mm)



28180PT (100 x 300mm)



28001PT (100 x 300mm)

Call Point Signs



26241B
(80 x 80mm)



26257B
(80 x 80mm)

Fire Action Notices



25414D (200 x 150mm)



25425D (200 x 150mm)



25478D (200 x 150mm)



25479D (200 x 150mm)



26159N (50 x 150mm)



25487N (50 x 150mm)



24850N (50 x 150mm)



28252N (50 x 150mm)

The signs shown on this page are available in photoluminescent rigid PVC (R) and photoluminescent self-adhesive vinyl (V)



Escape Route Signs



W401T (120x 340mm)
W401K (150 x 400mm)



W405T (120x 340mm)
W405K (150 x 400mm)



W446T (120x 340mm)
W446K (150 x 400mm)



W448T (120x 340mm)
W448K (150 x 400mm)



W443T (120x 340mm)
W443K (150 x 400mm)



W460T (120x 340mm)
W460K (150 x 400mm)



W409T (120x 340mm)
W409K (150 x 400mm)



W447T (120x 340mm)
W447K (150 x 400mm)



W449T (120x 340mm)
W449K (150 x 400mm)



W444T (120x 340mm)
W444K (150 x 400mm)



W458T (120x 340mm)
W458K (150 x 400mm)



W439T (120x 340mm)
W439K (150 x 400mm)



W433T (120x 340mm)
W433K (150 x 400mm)



W435T (120x 340mm)
W435K (150 x 400mm)



W430T (120x 340mm)
W430K (150 x 400mm)



W436T (120x 340mm)
W436K (150 x 400mm)



W438T (120x 340mm)
W438K (150 x 400mm)



W434T (120x 340mm)
W434K (150 x 400mm)



W437T (120x 340mm)
W437K (150 x 400mm)

Exit Door Operation and Escape Route Information



W4304PT (100 x 300mm)



W4303PT (100 x 300mm)



W4228PT (100 x 300mm)



W4775M (200 x 80mm)



W4776M (200 x 80mm)



W6434C (150 x 150mm)



W5129D (200 x 150mm)



W4128D (200 x 150mm)

Exit Door Signs and Instructions



W5110E (200 x 200mm)



W5257E (200 x 200mm)



W5110A (100 x 100mm)



W5257A (100 x 100mm)



W5123A (100 x 100mm)



W5067A (100 x 100mm)



W5137A (100 x 100mm)



W5421A (100 x 100mm)



W5141A (100 x 100mm)



W5033A (100 x 100mm)



W5124A (100 x 100mm)



W5485A (100 x 100mm)



W5190A (100 x 100mm)



W5140A (100 x 100mm)



W5424A (100 x 100mm)



W5480A (100 x 100mm)

The signs shown on this page are available in White Matt Rigid PVC only

STANDARD SAFETY SIGNS



Fire Extinguisher Identification Signs



W6366M
(200 x 80mm)



W6265M
(200 x 80mm)



W6360M
(200 x 80mm)



W6361M
(200 x 80mm)



W6362M
(200 x 80mm)



W6365M
(200 x 80mm)



W6370 ID (105 x 150mm)



W6373 ID (105 x 150mm)



W6374 ID (105 x 150mm)



W6372 ID (105 x 150mm)

Equipment Location Signs



W6490D
(200 x 150mm)



W6450D
(200 x 150mm)



W6495D
(200 x 150mm)



W6459D
(200 x 150mm)



W6451D
(200 x 150mm)



W6394D
(150 x 200mm)



W6395D
(150 x 200mm)



W6422A
(100 x 100mm)



W6421A
(100 x 100mm)



W6420A
(100 x 100mm)



W6314A
(100 x 100mm)



W6424A
(100 x 100mm)



W6055PT (100 x 300mm)



W6053PT (100 x 300mm)



W6054M (80 x 200mm)



W6441M (80 x 200mm)



W6410M (80 x 200mm)



W6441PT (100 x 300mm)



W6450PT (100 x 300mm)



W6459PT (100 x 300mm)



W6053M (80 x 200mm)



W6055M (80 x 200mm)



W6454M (80 x 200mm)



W6459M (80 x 200mm)



W6483M (80 x 200mm)



W6068M (80 x 200mm)



W6310M (80 x 200mm)



W6401M (80 x 200mm)



W6448M (80 x 200mm)



W6449M (80 x 200mm)



W6284M (80 x 200mm)



W5546M (80 x 200mm)

The signs shown on this page are available in White Matt Rigid PVC only



External Signs



WX4128Q (300 x 300mm)



WX6450F (225 x 200mm)



WX6451F (225 x 200mm)



WX6459F (225 x 200mm)



WX6490F (225 x 200mm)



WX6495F (225 x 200mm)



WX6448M (80 x 200mm)



WX6449M (80 x 200mm)



WX6454M (80 x 200mm)

Fire Action Notices



W5414D (200 x 150mm)



W5425D (200 x 150mm)



W5478D (200 x 150mm)



W5479D (200 x 150mm)



W5487N (50 x 150mm)



W4850N (50 x 150mm)

Hazard Warning & Prohibition Signs



W8143PT (100 x 300mm)



W8091PT (100 x 300mm)



W8067PT (100 x 300mm)



W8014PT (100 x 300mm)



W8103PT (100 x 300mm)



W8138PT (100 x 300mm)



W8116PT (100 x 300mm)



W8064PT (100 x 300mm)



W8109PT (100 x 300mm)



W8172PT (100 x 300mm)



W8115PT (100 x 300mm)



W8180PT (100 x 300mm)



W8001PT (100 x 300mm)



W7422D (200 x 150mm)



W7423D (200 x 150mm)



W7440D (200 x 150mm)



W7424D (200 x 150mm)

The signs shown on this page are available in White Matt Rigid PVC only

escape equipment

4



Hi-Viz Cap

Product Code:	Description
CAP HVC/FW	Fire Warden
CAP HVC/FM	Fire Marshall

- High visibility baseball cap enables marshals to be identified in crowded conditions
- Reflective badging for maximum visibility
- One size fits all
- Choice of fire warden or fire marshal wording



HVC/FW



AB3020

AB3021

Photoluminescent Armbands

Product Code:	Description:
ARBAND AB3020	Fire Warden Armband
ARBAND AB3021	Fire Marshall Armband

- Photoluminescent armbands complete with "Fire Warden" or "Fire Marshal" badging
- Extremely useful aid in fire evacuation coordination procedures
- Features "Velcro" fastening for simple application
- Strip size: L435mm x W65mm



Did you know?...

The Regulatory Reform (Fire safety) Order requires that, in virtually all non-domestic buildings, a sufficient number of competent persons be appointed to implement evacuation procedures. In practice, this means that there is normally a need to appoint fire wardens/fire marshals. It is essential that, in an emergency these people are easily identifiable, which is facilitated by

Fire Warden / Fire Marshall Waistcoat

Product Code	Description
WAISTCOAT HWV1/FW	Fire Warden
WAISTCOAT HWV1/FM	Fire Marshall

- High visibility waistcoat incorporating reflective "Fire Warden" or "Fire Marshall" badging front and back
- M, L and XL sizing available from stock
- Featuring reflective strip for added safety
- Front badge size: 125 x 45mm, Rear badge size: 250 x 90mm
- Bespoke wording available to special order



HWV1/FW



NEW

Fire Warden Kit

Product Code:

KIT FWBI

- All in one kit for Fire Wardens
- Kit includes: 1 x Fire Warden Waistcoat
1 x Fire Warden Cap
1 x Fire Warden Telescopic Sign
1 x Megaphone HMP2
1 x Maglite Torch MLT3
1 x Horn GHE
1 x Photoluminescent Armband
10 x Lightstick ELS1
10 x Emergency Whistle EAW1
- Entire kit is supplied in a durable red carrying bag



FWBI

Telescopic Fire Warden Sign

Product Code:

SIGN TFW1

- Rigid PVC sign mounted on telescopic chrome pole
- For use by Fire Wardens in crowded areas
- Size: H300 x W210
- Pole extends from 300mm - 600mm



TFW1

NEW

Mini Megaphone

Product Code:

MEGAPHONE HMP2

- Super compact design
- Press to talk trigger
- Incorporates integrated siren for emergency situations
- Rugged construction



HMP2

NEW

Code	Power	Power Supply	Dimensions
HMP2	6W	6 x AA type batteries (Not Supplied)	L 240mm x Ø150mm

Megaphone

Product Code:

MEGAPHONE HMP1

- Built-in anti-howl microphone
- Press to talk trigger
- Volume control
- 500 to 700m range dependant on operating conditions
- Rugged metal and ABS plastic construction



HMP1

Colour may differ from image shown

Code	Power	Power Supply	Dimensions
HMP1	25W Max	8 x 'C' type batteries (Not Supplied)	L 340mm x Ø 230mm



Maglite Torches

Product Code:

TORCH MLT2

TORCH MLT3

- Linear Focusing – Flood to Spot beam
- Made from machined aluminium
- Lifetime guarantee
- 'O' ring sealed for maximum water resistance
- Batteries not included
- Spare bulb inside tail cap

Code	Description	Size (mm)	Batteries Required
MLT2	Mini Maglite AA Flashlight	L146 x Ø18	2 x AA
MLT3	Maglite 3D-Cell Flashlight	L280 x Ø32	3 x D

Emergency Lightsticks

Product Code:

LIGHTSTICK LSK1

LIGHTSTICK LSK2

LIGHTSTICK LSK3

- Simply bend, snap and shake for instant light
- No heat, no sparks, no flames
- No batteries required
- Light activated by safe, non-toxic chemical reaction
- 150mm Hexagonal shaped tube with hook and hole hanging facility
- The shorter the light duration, the brighter the output of light



Code	Size (mm)	Colour	Light Duration	Pack Quantity
LSK1	L150 x Ø19	White	30 Minutes	10
LSK2	L150 x Ø19	White	8 Hour	10
LSK3	L150 x Ø19	Green	12 Hour	10

Emergency Light Batons

Product Code:

LIGHTSTICK ELB1

- 250mm light source for use in emergencies
- Operates on same principle as lightsticks detailed above
- Supplied complete with metal bipod to enable freestanding use

Code	Size (mm)	Colour	Light Duration	Pack Quantity
LSK4	L250 x Ø19	Yellow	8 hour	10



KBI



HCI

Key Box and Accessories

Product Code: Description:

KEYBOX KBI Keybox (as shown)

HAMMER HCI Hammer and Chain

GLASS SGI Spare Glass

- Break Glass Keybox supplied with screen printed glass
- Manufactured from durable ABS plastic
- Unique 'Snap Fit' design
- Overall dimensions : Dia.120mm x Depth 33mm



KB2

Plastic Fronted Keybox

Product Code: Description:

KEYBOX KB2 Keybox (as shown)

GLASS SG2 "Spare Glass" for Keybox KB2

- Supplied with 'safebreak' screen printed panel
- Secure 'snap fit' mechanism
- Ideal for glass sensitive environments
- Overall dimensions: Ø110mm x Depth35mm

Key Guard

Product Code:

KEYBOX HKG1

KEYBOX HKG2

WINDOW HKW1

- Snatch-off plastic window is easy to use – no need for hammer
- Ideal for food preparation areas, clean rooms, schools, swimming pools etc.
- Available in red or green
- Also available featuring integral electronic alarm (85db) to deter unauthorised use



HKG1



HKW1

Code	Description	Colour	Dimensions (mm)	Pack Qty
HKG1	Keyguard	Red, Green	H125 x W142 x D45	1
HKG2	Keyguard with alarm	Red,Green	H125 x W142 x D45	1
HKW1	Spare Keyguard window	N/A	N/A	4



Res-Q-Me Keyring Escape Tool

Product Code:

ESCAPE TOOL RQMI

- Innovative and compact escape and rescue tool
- Small enough for a keyring
- Incorporates seatbelt cutter and window breaker
- Used by police and emergency personnel world wide
- Height: 75mm Width: 32mm Weight: 17g



RQMI



Glas-Master Professional Rescue Tool

Product Code:

RESCUE TOOL GMRI

- Revolutionary manually operated glass removal tool
- Faster glass-cutting capability than any other manual tool
- Can be used on automotive glass, fibreglass, wood, plaster, etc. and for underwater rescue operations
- New blade design minimises glass fragmentation
- Also incorporates a spring loaded centre punch
- Overall tool size: 250mm x 350mm



GMRI



Lifehammer Emergency Tool

Product Code:

LIFEHAMMER LFHI

- Effective emergency escape tool
- Tough pointed double hammerhead combined with sharp protected blade
- Supplied with bracket incorporating photoluminescent button
- TUV approved
- Breaks auto glass and cuts seat belts
- Overall Tool Size: L175mm x W68mm



LFHI

Fireman's Axe

Product Code:

AXE FAI

- High quality axe for use in all emergency situations
- Constructed with tubular handle insulated to 20,000 volts
- Long-lasting drop forged head
- Overall Size: L385mm x W205mm



FAI



Domestic Fire Escape Ladder

Product Code: Description:
LADDER FEL1 4.5m/15' Ladder
LADDER FEL2 7.5m/25' Ladder

- Steel escape ladder, intended for domestic use only
- Supplied in strong corrugated box for storage
- Suitable for two and three storey buildings
- Fully assembled – ready for emergency use
- Simply and quickly attaches to window for escape
- Will accommodate window openings up to 325mm deep
- Rung width: 295mm



ESCAPE LADDERS



“Compact” Fire Escape Ladder

Product Code:
LADDER CFL1
LADDER CFL2
LADDER CFL3

- Innovative, maintenance-free design utilising steel cable and aluminium rungs
- Ideal where storage space is restricted – once folded will fit in a briefcase, car shelf, desk drawer, etc.
- Supplied in strong corrugated box for storage
- Approved by the German TUV Technical Inspectorate
- 80mm internal measurement of plastic-coated steel hook – ideal for use on balustrades and window ledges
- Optional wall bracket available for escape routes offering no other means of hanging the ladder
- Additional Spacer rung available to hold ladder away from wall to aid descent



“Compact” Fire Escape Ladder in action

Code	Length	Weight	Packed Size (mm)
CFL1	5m	3.2kg	H200 x W330 x D100
CFL2	8m	4.5kg	H200 x W330 x D100
CFL3	12m	6.9kg	H200 x W330 x D100

1.6m and 22m ladder lengths available by special order

“Compact” Ladder Accessories

Product Code: Description:
BRACKET CFB1 White plastic-coated wall bracket (not shown)
SPACER CFS1 Spacing rung equipped with 150mm standoffs



Amigo Fire Escape Ladder

Product Code:

- LADDER AML1
- LADDER AML2
- LADDER AML3
- LADDER AML4
- LADDER AML5
- LADDER AML6

AMIGO - THE LADDER YOU CAN TRUST!

- The compact and unobtrusive alternative to a conventional fire escape
- Fixed design for semi-permanent applications
- Ideal for flats, offices and other multi-storey applications
- Joint free galvanised chain with a guaranteed breaking strain in excess of 2000kg
- Heat-proof steps featuring integral standoffs for increased stability during use
- Adjustable handhold on top rung to aid exit through window opening
- Rust and corrosion proof ladder design
- Powder coated steel storage box finished in white to complement all interiors
- Simple and quick to mobilise – step by step escape routine as shown
- Rung width: 305mm

Code	Length	Storage Box Dims. (mm)	Weight
AML1	3.7m/12'	H260 x W350 x D120	13kg
AML2	5.5m/18'	H380 x W350 x D120	17kg
AML3	7.4m/24'	H480 x W350 x D120	22kg
AML4	9.2m/30'	H570 x W350 x D120	27kg
AML5	12.2m/40'	H690 x W350 x D120	34kg
AML6	15.2m/50'	H440 x W350 x D240	39kg

Step 1

The Amigo Fire Escape Ladder is installed on an internal wall below an opening window. Neat and compact when not in use, this essential escape aid is available for service at any time.

Step 2

In an emergency, the top cover of the storage box is lifted and thrown out of the window, carrying the ladder with it.

Step 3

When the ladder is fully extended, the standoffs make contact with the external wall and support and stabilise the ladder. By using the base of the storage box as a first step and the handhold provided at the top of the ladder, mounting and descending in an emergency is simple, swift and safe.



2



3



door furniture & lighting

5



B376



Briton Vertical Panic Bolt

Product Code:

DOOR FURNITURE B376

- Two point locking for extra security
- Suitable for use on single and double door applications
- Self-handed – will suit both left and right handed doors
- Suitable for doors up to 2500mm high x 1300mm wide x 200kg
- Colour: Silver
- CEN classification: 37611322A
- Manufactured to BSEN1125

B378E



Briton Reversible Rim Panic Latch

Product Code: **DOOR FURNITURE B378E**

- Suitable for use on single doors
- Supplied in left hand, but can be reversed on site
- Suitable for doors up to 2500mm high x 1300mm wide x 200kg
- Colour: Silver
- Manufactured to BS EN1125
- CEN classification: 37611322A

B377E



Briton Double Rebated Door Panic Set

Product Code: **DOOR FURNITURE B377E**

Comprises of the Briton 376E vertical panic bolt, 378E reversible rim panic latch and 378DDS double door strike in one convenient pack for rebated double door applications

- Colour: Silver
- Manufactured to BS EN1125
- CEN classification: 37611322A

B1438E



Briton Reversible Push Pad Rim Latch

Product Code: **DOOR FURNITURE B1438E**

- Supplied in left hand, but can be reversed on site
- Suitable for doors up to 2500mm high x 1300mm in width x 200kg
- Can be used with a rim cylinder fitted to the outside of the door
- Colour: Silver
- Manufactured to BS EN179
- CEN classification: 37611332B

B1413/LE



B1413/KE



Briton Outside Access Devices

Product Code:

DOOR FURNITURE B1413/LE

DOOR FURNITURE B1413/KE

- Supplied with euro-profile cylinder as standard
- Clearly illustrated instructions and template enabling accurate installation
- Suitable for doors between 40mm and 70mm thick
- Tested to 200,000 cycles
- Colour: Silver





Budget Door Closer

Product Code:

CLOSER 2204/SE

- 10 year guarantee
- Suitable for light duty use
- Fire rated for 1 hour to BSEN1634:1
- UL listed
- Rack and pinion mechanism
- Power size EN3 (door up to 950mm/6kg)



2204/SE



3204/SE



Contract Door Closer

Product Code:

CLOSER 3204/SE

- 10 year guarantee
- Suitable for light duty use
- EN1154 performance tested and EN1634 fire tested
- Power size 2-4 by template (40-80kg/850-1100mm)
- Rack and pinion mechanism
- Universal application
- Die cast body



Did you know?...
 A fire door is only effective at holding back fire and smoke if it is closed at the time of a fire. All fire doors should be effectively self-closing under the action of a self-closing

Slimline Door Closer

Product Code:

CLOSER 9204/SE

- Manufactured to the highest engineering standards
- Ideal for use in schools, public buildings, hotels, hospitals, offices, etc
- EN1154 performance tested and EN1634 fire tested
- CE marked
- 10 year guarantee
- Rack and pinion mechanism and backcheck feature
- Universal application
- Extended aluminium body and flat bar arm sets
- Power size 2-4 by template (40-80kg/850-1100mm)



9204/SE



Fire Rated Hinge

Product Code: **HINGE FRH1**

- Class 13 Fire Rated
- Stainless steel construction
- Size: 100mm x 75mm



HINGE FRH1



ettergard



LGDI
showing extinguisher

Did you know?...



Arson is the most common cause of fire, and it is the most frequent single cause of large loss fires. In some communities, arson attacks on dwellings are committed by passing burning material through letterboxes. This method is also sometimes

Lettergard™ Protected Letter Box

Product Code:

LETTERGARD LGDI

REFILL LGDR

- Fire protected letter box designed to guard against arson attacks
- Constructed from fully welded mild steel with powder coated finish
- Easy installation over British standard letter box opening
- Contains 100gm FE36 automatic extinguisher, discharging at 57°C
- Features neoprene seal around mailing aperture
- Refill extinguisher available



LGDI

Size	Extinguisher Capacity	Extinguishant	Discharge Temp.	External Finish	Maximum Mailing Aperture
H525 x W325 x D125mm	100gm	FE36	57°C	White powder coating	300mm x 70mm

LETTERBOXES

Intumescent Letter Box Kit

Product Code:

LETTERBOX ILB1

LETTERBOX ILB2

- Designed for use in a fire rated door
- Maintains performance and integrity of fire door with the use of intumescent materials
- When exposed to heat, intumescent lining expands and fills aperture in door preventing passage of fire from one area to another
- Tested in accordance with BS476: Parts 20/22: 1987 and will provide fire resistance for more than 30 minutes
- Available as standard in a silver anodized finish



ILB1

Code	Min/Max Door Thickness	Overall Height	Overall Width
ILB1	44/54mm	70mm	265mm
ILB2	44/54mm	70mm	304mm

Did you know?...



The integrity of a fire door can be affected by fitting hardware to the door. In multiple occupancy offices and blocks of flats, letter boxes are often fitted to doors that need to be fire resisting to protect the escape route. This can create a point of weakness for fire



CB101
Standard model



CB103
Standard model incorporating battery operated electronic alarm that sounds on opening door



CB103S
As CB103 but featuring additional on/off key switch for alarm allowing use as standard model

Cooper Bolt Emergency Door Bolt

Product Code:

BOLT PANIC CB101

BOLT PANIC CB103

BOLT PANIC CB103S

- Simple & obvious to use
- No glass or plastic to break
- Once opened, bolt can only be reset by keyholder
- Alarm models available – giving approximately 105db
- Dimensions (Main Body) 135mm x 85mm (max)

Exit Stopper Door Alarm

Product Code: **EXIT STOPPER STI 6400**

- Completely self-contained 97db. electronic door alarm
- Highly visible 'stop sign' discourages unauthorised use of emergency doors
- Key operated override facility
- Lifetime guarantee against breakage of polycarbonate housing (one year on electronic components)
- Compact design (127mm diameter and 48mm deep)




STI6400

Fire Door Seal

Product Code: **SEAL FDS/G**

- Deters unauthorised use of fire doors
- Average break strength of 10.5 kg
- Sold in strips of 10, green as standard
- Strap length 202.5mm, Strap width 8mm, Strap thickness 1.3mm



FDS/G



RPB I

Redlam Panic Bolt

Product Code: **BOLT PANIC RPB I**

- Manufactured from cast aluminium
- Supplied complete with 1 x Ceramtube, Redlam hammer, chain and fixings.
- Use of padlock (supplied separately) prevents unauthorised removal of Ceramtube
- Overall bolt size: Height 75mm x Width 165mm x Depth 55mm

Redlam Panic Bolt Accessories

Product Code:	Description	Pack Quantity
TUBE CERAMIC TCR I	Replacement Ceramic Tube	20
TUBE GLASS TGL I	Replacement Glass Tube	20
HAMMER HCI	Spare Hammer and Chain	1



HCI

Padlock

Product Code: **PADLOCK PLB40LS**

- Ideal for use on Panic Bolts and Cabinets
- Solid Brass 40mm Body
- Hardened Steel Shackles
- Supplied with 2 keys



PLB40LS

Kingpin Panic Bolt

Product Code: **BOLT PANIC KPB I**

- The only CE- Marked tamper-resistant fire exit bolt
- Manufactured from robust die-cast aluminium incorporating a 12mm plated steel bolt shoot
- Unique non-hazardous design guarantees no loose debris on emergency operation of bolt
- Ideal for use in food preparation and clean room areas
- Integral key lock feature – no additional padlock needed
- Supplied complete with 2 x Kingpin breakable component, 2 x key for keylock, integral handle for emergency operation and fixings for simple installation
- Overall bolt size: Height 45mm x Width 227mm x Depth 56mm



KPB I

Kingpin Breakable Component (not shown)

Product Code: **KINGPIN REPLACEMENT KPRI**

- Pack Quantity 20



Dorgard Fire Door Retainer

Product Code: **DORGARD DDHI**

Dorgard is the simple, reliable acoustic device that holds a fire door open in any position and then automatically releases the door should a fire alarm sound.

- Fast, automatic door release when alarm sounds
- Inexpensive to buy and fit
- Easy, foot-operated manual release/adjustment operation
- Automatic night-time release facility
- Smart, unobtrusive design
- Battery lifetime exceeds fire safety policy directive
- Integral power-on LED indicator
- Low battery, automatic door release
- Floor plate included for especially heavy doors/slippery floor surfaces
- Available in a choice of four colours to suit interior / door finishes

Technical info:

Overall height:	205mm
Main casing height:	153mm
Width:	195mm
Depth:	45mm
Plunger/stopper travel:	20mm
Packed kit weight:	940g
Casing material:	tough ABS
Battery:	2 x C alkaline (LR14)
Battery life expectancy:	+ 12 months



DDHI Black



Mahogany

Red

White

FIRE DOOR RETAINERS

Dorgard complies with the following standards:

BSEN 1155: 1997

Manufacturer's classification number 357113
- Building Hardware. Electrically powered hold-open devices for swing doors.

BS EN 50081 – 1:1992

- Electro-magnetic compatibility. Generic emission standard. Residential, commercial and light industry.

BS EN 50082 – 1:1997

- Electro-magnetic compatibility. Generic immunity standard. Residential, commercial and light industry. Dorgard also complies fully with all relevant European Directives and UK workplace Regulations (Fire Precautions) 1997



Did you know?...

Sometimes it is necessary for self-closing fire doors to be held in the open position, but close automatically when the fire alarm system operates. For example, this may be necessary for the convenience of occupants, accessibility for disabled people, in a residential care home or in a hospital, where trolleys are continually passing through the doorways. Acoustically-

Dorgard X – For Noisy Environments

Product Code:

DORGARD DRXI

DORGARD DTXI

- Ideal for noisy and public environments e.g. Heavy industrial sites, restaurants etc.
- State of the art technology solution.
- Dorgard DTXI installs beside fire alarm sander, Dorgard DRXI fits on any number of fire doors within 30 metre range, Dorgard DTXI automatically signals Dorgard DRXI to release fire door when fire alarm sounds
- Smart, unobtrusive and robust design
- Easy foot-operated release and adjustment
- Automatic night-time release facility
- DRXI available in black, mahogany, red and white
- DTXI available in white only



DRXI and DTXI



Brass Padlocks

Product Code:	Description:
PADLOCK PLB 20	20mm standard shackle
PADLOCK PLB 30	30mm standard shackle
PADLOCK PLB 40	40mm standard shackle
PADLOCK PLB 40LS	40mm long shackle
PADLOCK PLB 50	50mm standard shackle

- Range of padlocks for general use
- Solid brass body
- Hardened steel shackle
- Supplied with 2 keys
- PLB 40LS ideal for use on Panic Bolts and Cabinets



FB11



FBPK



FB14

Fire Brigade Padlocks

Product Code:	Description:
PADLOCK FB11	Fire brigade padlock
PADLOCK FB14	Fire brigade padlock (yellow)
PADLOCK FBPK	2" Fire brigade padlock

Fire Brigade Keys

- Product Code:
- KEY FBK1**
 - KEY FBK2**
 - KEY FBK4**
 - KEY FBK11**
 - KEY FBK14**
 - KEY FBKPK**





Bulkhead Style Units and Accessories

Product Code:

LIGHT BLNI

LIGHT BLMI

LEGEND BLLI

- BSI Certified to BS EN60598-1:1993, BS EN 4533-102.22:1990 and BS EN 60924:1991
- All supplied complete with lamps
- Size: H100mm x W360mm x D75mm



Code	Description	Power	Duration	Rating
BLN1	Non-maintained	8W	3 Hour	IP65
BLM1	Maintained	8W	3 Hour	IP65
BLL1	Self-adhesive Euro-Gram Legend kit			

Full 'Exit' Size Units and Accessories

Product Codes:

LIGHT ELNI

LIGHT ELM1

LIGHT ELS1

LEGEND ELLI

- BSI Certificated to:
BS EN 60598-1:1993,
BS EN 4533-102.22:1990
BS EN 60924:1991
- Features unique user-friendly clip fit cover
- Supplied complete with lamps
- Size: H175mm x W380mm x D75mm



Code	Description	Power	Duration	Rating
ELN1	Non-maintained	8W	3 Hours	IP65
ELM1	Maintained	8W	3 Hours	IP65
ELS1	Sustained	8W	3 Hours	IP65
ELLI	Self adhesive Euro-Gram legend kit			



Did you know?...
The Regulatory Reform (Fire Safety) Order requires that, where necessary to safeguard people, emergency routes and exits requiring artificial illumination must be provided with emergency lighting of adequate intensity in case the normal lighting fails (e.g. during a fire). Where there are defined escape routes, the relevant parts of BS

EMERGENCY LIGHTING

Twin Spots

Product Code: **LIGHT TSN1**

- Self contained high quality robust steel cased twin spot fittings for interior applications
- Supplied with 2 x 12 volt 7 Ah sealed lead acid batteries
- BSI Certified to BSEN 60598-2-22:1999
- Size: H360mm x W315mm x D115mm



Code	Description	Power	Duration	Rating
TSN1	Non-maintained	2x21w	3 Hours	IP20



Metal Exit Signs

Product Code:

LIGHT MBNI

LIGHT MBMI

- Robust metal exit sign for internal use
- Available as standard in white - brass and chrome available as special order items
- Silk screened polycarbonate legend panels to be ordered separately
- BSI Certificated to BS EN 60598-2-22:1999
- Size: H190mm x W390mm x D55mm



MBNI White

Code	Description	Power	Duration	Rating
MBN1	Non-maintained	8W	3 Hours	IP20
MBM1	Maintained	8W	3 Hours	IP20

Metal Exit Sign Legend Panels

Product Code:

LEGEND MBP1

LEGEND MBP2

LEGEND MBP3

LEGEND MBP4

LEGEND MBP5

Description:


Running man arrow down

Running man arrow left

Running man no arrow

Running man arrow right

Running man arrow up



Hanging Exit Signs and Accessories

Product Code:

Order code suffix denoting legend panel:

LIGHT HENI

Running Man Arrow Down = /AD

LIGHT HEMI

Running Man Arrow Left = /AL

Running Man Arrow Right = /AR

Double sided Running Man Arrow Down = /DSAD

Double sided Running Man Arrow Right/Left = /DSARL

- Available as standard in white - brass and chrome available as special order items
- Supplied with edge lit silk-screened polycarbonate legend panel of your choice
- Double sided panels available
- BSI Certificated to BSEN 60598-2-22:1999
- Overall size (including panel) H245mm x W355mm x D105mm



HENI white

Code	Description	Power	Duration	Rating
HEN1	Non-maintained	8W	3 Hours	IP20
HEM1	Maintained	8W	3 Hours	IP20



site alarms & detection systems

6



RHB

Rotary Hand Bell

Product Code:

BELL RHB

- Tried and tested robust design
- Bell sounds 60db alarm at up to 35 metres
- Red coated diecast aluminium dome
- Diecast aluminium base plate
- Pre-drilled flange for simple installation

Code	Weight	Diameter	Depth
RHB	1.7kg	270mm	140mm



Did you know?...

All non-domestic buildings are required to have an adequate means of warning people in the event of fire. In a small building, this need not be an electrical fire alarm system, but could be a manually operated device, such as a rotary hand bell,

Mini Megaphone

Product Code:

MEGAPHONE HMP2

- Super compact design
- Press to talk trigger
- Incorporates integrated siren for emergency situations
- Rugged construction



HMP2

Code	Power	Power Supply	Dimensions
HMP2	6W	6 x AA type batteries (Not Supplied)	L 240mm x Ø150mm



HMP1

Colour may differ from image shown

Megaphone

Product Code:

MEGAPHONE HMP1

- Built-in anti-howl microphone
- Press to talk trigger
- Volume control
- 500 to 700m range dependant on operating conditions
- Rugged metal and ABS plastic construction

Code	Power	Power Supply	Dimensions
HMP1	25W Max	8 x 'C' type batteries (Not Supplied)	L 340mm x Ø 230mm





GHE



PSA1

Emergency Gas Horn

- Non-flammable gas

Product Code:

HORN GHE REFILL GHR

- Ideal for providing temporary cover during alarm installations and for construction site applications
- 300ml can for multiple uses
- Acoustic range of approximately 1500m
- Refill canisters available
- Supplied in blister pack for storage

Megahorn

Product Code:

HORN MHE

- Extremely effective mouth horn
- Simply blow into hole in side of horn for 105db alarm to sound
- Non-corrosive, durable red plastic construction
- Overall length: 210mm x diameter 88mm



MHE

Emergency Whistle

Product Code:

WHISTLE EAW1

- Commercial grade, non-corrosive, pea-less whistle
- Integral clip feature
- Dimensions: L70mm x W22mm
- Pack quantity: 10



EAW1



Megalarm P200 and P200i

The Megalarm P200 provides an effective and easy to install alternative to a fully wired alarm system. Designed for applications ranging from retail units to site cabins and temporary workshops, this unit is versatile, cost effective and good looking! Powered by a 9V battery and featuring a low battery warning, the P200 is entirely standalone and very straightforward to install. With resettable call point technology incorporated as standard, the P200 is easy to operate in an emergency and simple to reset after the alarm has been sounded. A powerful 90db siren ensures that the alarm is raised effectively, allowing prompt evacuation procedures to be carried out. The recently introduced P200i enables multiple units to be interlinked. This increases the effective coverage of the system and gives greater flexibility.



Megalarm

Product Code:

MEGALARM P200 **MEGALARM P200i**

- Robust and durable ABS plastic housing
- Powerful siren sounding 90db at 2m
- Battery powered for easy installation
- Ideal for temporary building applications
- Features resettable callpoint as standard
- Easily accessed battery compartment
- Low battery warning signal
- Supplied with battery
- Aesthetically appealing design



Code	Power Supply	Sound Output	Case Material	Dimensions (mm)	Weight	Interlinkable
MEGALARM P200	1 x 9V Alkaline battery PP3 (included)	90db at 2m	ABS plastic housing with lift off hinged door	H280xW210xD80	733g	no
MEGALARM P200i	1 x 9V Alkaline battery PP3 (included)	90db at 2m	ABS plastic housing with lift off hinged door	H280xW210xD80	733g	yes



Howler Site Alarm the original site fire alarm

Providing a rapid means of raising the alarm in an emergency, the Howler is designed primarily for building sites and other locations where a conventional fire alarm system is inappropriate. With inter-linkable units available for maximum coverage and strobe

lights available for increased impact, every emergency situation can be covered.

- Completely self-contained alarm unit
- Suitable for indoor and outdoor applications
- Equipped with 118db siren

- Durable polypropylene container
- 9v PP9 battery supplied with unit, for quick installation
- Available in four different switch configurations
- Dimensions: H300 x W200 x D120mm

SITE ALARMS

Howler HO1

Product Code:

HOWLER HO1

The HO1 features a simple push on/push off switch for easy operation. Suitable for outside locations the 22mm diameter IP65 rated switch makes emergency operation simple and quick.



HO1



HO2

Howler HO2

Product Code:

HOWLER HO2

The HO2 model incorporates a 50mm diameter palm-push switch, that is twisted anti-clockwise to switch off. The IP65 rated switch allows this howler to be used in external applications.



HO3

Howler HO3

Product Code:

HOWLER HO3

The HO3 features a push on/key off switch mechanism preventing the unauthorised silencing of alarms. The switch is IP65 rated is supplied with two reset keys.



HOCP

Howler HOCP

Product Code:

HOWLER HOCP

By incorporating a resettable conventional callpoint, the HOCP prevents unauthorised silencing of the alarm in an emergency situation. The unit is supplied with two resetting keys.





Heavy Duty Howler Site Alarms

Built for use in harsh environments, the heavy-duty Howler range of standalone site alarms boasts many unique features. With all the working parts protected within a heavy-duty aluminium body, these alarms offer a semi-permanent solution for awkward applications.

- Virtually indestructible aluminium body
- Choice of four different switching mechanisms
- Inter-linkable units available
- Integral strobe available for noisy environments
- High quality powder coated finish
- Suitable for use in both indoor and outdoor applications
- 9v PP9 battery supplied
- 120db siren volume
- Dimensions: Ø 200mm x Depth 110mm



HM1

Howler HM1

Product Code:

HOWLER HM1

The HM1 features a simple push on/push off switch for easy operation. Suitable for outside locations, the 22mm diameter IP65 rated switch makes emergency operation simple and quick.

Howler HM2

Product Code:

HOWLER HM2

The HM2 model incorporates a 50mm diameter palm-push switch, which is twisted anti-clockwise to switch off.

The IP65 rated switch allows this Howler to be used in external applications.



HM2



HM3

Howler HM3

Product Code:

HOWLER HM3

The HM3 features a push on/key off switch mechanism preventing the unauthorised silencing of alarms. The switch is IP65 rated is supplied with two reset keys.

Howler HMCP

Product Code:

HOWLER HMCP

By incorporating a resettable conventional call point, the HMCP prevents unauthorised silencing of the alarm in an emergency situation. The unit is supplied with two resetting keys.



HMCP





HowlerMultilink Option



Product Code:

INSERT HOWLER CODE HERE / ML

- The Multilink facility is indispensable in large or multi-storey buildings
- The operation of one unit activates every other unit within system
- Up to 50 units can be linked using 2 core 0.5mm² cable
- Can also be connected to compatible 9V smoke alarms

HowlerMultilink Control Panel

Product Code:

No. of Zones

HOWLER PANEL MLC4	4
HOWLER PANEL MLC8	8
HOWLER PANEL MLC12	12
HOWLER PANEL MLC16	16
HOWLER PANEL MLC20	20



- 9V Battery operated multilink control panel
- Allows zoning of howler units and compatible smoke alarms
- 4, 8, 12, 16 & 20 zone panels available
- Test mode function
- Full system evacuation function
- Zone isolation



HOWLER PANEL MLC12

HowlerStrobe Option

Product Code:

INSERT HOWLER CODE HERE /XS

- Designed for noisy environments
- Ultra-bright red flashing strobe
- Reinforces audible warning signal



**HMCP
FITTED WITH STROBE
OPTION**



**HOWLERS
FITTED WITH BATTERY
TEST OPTION**



HowlerBattery Test Option

Product Code:

INSERT HOWLER CODE HERE/BT

- Combines multilink option with a battery test facility
- Checks battery charge under load conditions
- Simple keyswitch operation





BSD1

Micro9v Battery Smoke Detector

Product Code:

DETECTOR BSD1

- Compact and discreet ionisation smoke detector
- Test button verifies battery and alarm operation
- Low battery indicator
- 3 year warranty
- BSI Kitemarked to BS 5446 (Pt.1)
- Supplied complete with battery
- Dimensions: Ø105mm x D40mm



Did you know?...

In 2004, fire deaths in dwellings were at their lowest ever recorded. The installation of smoke alarms in dwellings has made a major contribution to reduction in domestic fire deaths. Statistically, if a fire is first detected by a smoke alarm the chance of a fatality is reduced by a factor of 2.5-3.

BATTERY SMOKE DETECTORS

OpticaBattery Smoke Detector

Product Code:

DETECTOR BSD3

- 9v DC optical smoke detector
- Can be connected with up to 11 other compatible detectors
- 5 year guarantee
- BSI Kitemarked to BS 5446 (Pt.1)
- Supplied complete with battery
- Dimensions: Ø128mm x D42mm



BSD3



BSD4

LithiumBattery Smoke Detector

Product Code:

DETECTOR BSD4

- 9v long life ionisation smoke detector
- Can be connected with up to 11 other compatible detectors
- Detector and battery guaranteed for 5 years
- BSI Kitemarked to BS 5446 (Pt.1)
- Hush button to silence nuisance alarms
- Dimensions: Ø130mm x D44mm

Safety LightBattery Smoke Detector

Product Code:

DETECTOR BSD7

- Premium 9v battery ionisation smoke detector
- Safety light illuminates when alarm sounds to guide your exit
- Test button verifies battery and alarm operation
- Hush button to silence nuisance alarms
- 5 year warranty
- BSI kitemarked to BS 5446 (Pt.1)
- Supplied complete with battery
- Dimensions: Ø190mm x D47mm



BSD7





DOT COD1

CO Detecting Dots

Product Code:

DOT COD1

- Low cost protection for up to a year
- Self-adhesive pad - easy to install
- Checks all gas, oil and solid fuel appliances for deadly CO leakage
- Dimensions: H55mm x W55mm

Carbon Monoxide Detector

Product Code:

DETECTOR CMD1

- High quality, low cost carbon monoxide alarm
- 85db alarm alerts you if CO levels become dangerous
- Electrochemical technology CO detection sensor
- 5 year warranty
- BSI Kitemarked to BS 7860
- Supplied complete with batteries
- Dimensions: Ø140mm x D35.5mm



CMD1



CMDIE



Carbon Monoxide Detector

Product Code:

DETECTOR CMDIE

- 9V battery-operated co alarm
- Test/silencer button
- Battery status indicator
- 85db alarm
- 5-year guarantee
- Battery included
- UL listed
- Dimensions: H100mm x W135mm x D42mm





Cig-Arr teTobacco Smoke Detector

Product Code:

DETECTOR GDVI DETECTOR FDVI

Stamp out illicit smoking with the only purpose built solution. Cig-Arrête® detects tobacco smoke or drug residues or the flame from a match or lighter and delivers a clear voice warning to alert smokers that their actions have been detected.

Cig-Arrête® is the ideal solution for schools, hospitals and the workplace to ensure a healthy smoke free environment.

- Avoid confrontation with staff and visitors
- Reduce smoking and drug abuse
- Reduce congregation of smokers in toilets and restrooms
- Reduce vandalism and graffiti
- Health and Safety risks reduced
- Positive enforcement of smoke free policy
- Standalone battery operated unit

Code	Application	Detection Coverage
Detector GDVI	Enclosed areas	Approx. 9m ²
Detector FDVI	Exposed/high volume areas	25mm lighter flame detected at 6m



**DETECTOR
GDVI**

ANCILLARY DETECTION



Eye protection must be worn

This facility operates a no smoking policy

CAUTION wet and slippery floor



**SPEECHPOD
SPKI**

SpeechPOD Voice Warning Unit

Product Code:

SPEECHPOD SPKI

Activated by motion, the SpeechPOD is the complete solution to delivering high quality, dynamic messages in any location. You can record your own messages to remind staff of special requirements or to alert visitors, partially sighted or blind individuals of risks, requirements, hazards or special offers in retail outlets.

- Self contained motion detector and voice messaging system
- Up to 60 seconds of digital recording per message
- Up to 7 individual messages selected by remote control unit
- Supports multiple languages
- Standalone battery operated unit

Sample messages:

"We would like to remind you that smoking is not permitted in this area"

"Please be advised that ear protection must be worn beyond this point"





CFP Fire Alarm Control Panels

Product Code:

- ALARM PANEL CFP702-4**
- ALARM PANEL CFP704-4**
- ALARM PANEL CFP708-4**
- ALARM PANEL CFP760**

- Complies fully with EN54: Parts 2 & 4
- Attractive flush or surface mountable plastic lid and enclosure
- Four conventional sounder circuits
- Class change and alert inputs
- Auxiliary fault, reset, remote and auxiliary fire outputs
- Wide range of engineering functions including zone test, non-latching zones, programmable delays and coincidence
- Code entry version available as standard, keyswitch models available on request
- Ancillary connections for up to eight two-wire repeaters per system and optional CFP relay boards.



CFP702-4

Code	No of Zones	No. of batteries	Dimensions
CFP702-4	2	2 x 12v, 2.1 Ah	H235 x W380 x D96
CFP704-4	4	2 x 12v, 2.1 Ah	H235 x W380 x D96
CFP708-4	8	2 x 12v, 2.1 Ah	H235 x W380 x D96
CFP760	8 zone rpt	2 x 12v, 2.1 Ah	H235 x W380 x D96

CFP Alarm Panel Accessories

Product Code:

- ALARM CARD CFP761**
- ALARM CARD CFP762**
- ALARM CARD CFP763**

Code	Description
CFP761	CFP network driver card, one required per repeater system, fit at mains
CFP762	CFP relay output card, provides reset, fault, aux and remote relay outputs
CFP763	CFP relay output per zone card, as CFP 762 plus 8 outputs per zone relays

FP585 Fire Alarm Control Panels

Product Code:

- ALARM PANEL FP585/01** **ALARM PANEL FP585/02**
- ALARM PANEL FP585/04** **ALARM PANEL FP585/08**
- ALARM PANEL FP585/R**

- Complies fully with EN54: parts 2 & 4
- Can be used on installations meeting BS5839: Part 1
- Panels available with up to eight alarm sounder circuits
- Zone disablement facility
- One man test and commission facility
- Two auxiliary relay contacts
- LPCB approved
- Battery support facility (batteries supplied separately)

Code	No of Zones	No. of batteries	Dimensions
FP585/01	1	2 x 12v, 2.1 Ah	H274 x W395 x D87
FP585/02	2	2 x 12v, 2.1 Ah	H274 x W395 x D87
FP585/04	4	2 x 12v, 2.1 Ah	H274 x W395 x D87
FP585/08	8	2 x 12v, 2.8 Ah	H274 x W395 x D87
FP585/R	8 zone repeat	2 x 12v, 2.1 Ah	H274 x W395 x D87



Did you know?...

The Regulatory Reform (Fire Safety) Order requires that, where necessary, premises must, to the extent appropriate, be equipped with appropriate fire detectors and alarms. Automatic fire detection will be needed in certain circumstances, such as premises where people sleep, where



FP585/08





Alarm Panel Batteries

Product Code:

BATTERY LAB1

BATTERY LAB2

BATTERY LAB3

- Sealed lead acid batteries for use as alarm backup

Code	Voltage	Capacity
LAB1	12v	2.1Ah
LAB2	12v	2.8Ah
LAB3	12v	7.0Ah

LAB3



LAB2



LAB1



CNB1/2

No Burn Platinum Fire Performance Cable

Product Code:

CABLE CNB1/2

CABLE CNB1/4

CABLE CNB2/2

CABLE CNB2/4

- Easy to install and superb working flexibility
- Red, white and black outer sheaths available
- Solid conductor cores - 1.5mm and 2.5mm
- 100 metre reel lengths as standard
- Aluminium/co-polymer foil screen
- Designed for use on conventional/analogous addressable smoke detector and sounder circuits and emergency lighting circuits
- Manufacturer's 10 year warranty from date of manufacture
- Meets required standard to install to BS5839-1 2002 26.2D
- Fully LPCB approved

Code	No. of cores	Size of cores	Sheath Colour	Roll length
CNB1/2	2	1.5mm ²	Red, white, black	100m
CNB1/4	4	1.5mm ²	Red, white, black	100m
CNB2/2	2	2.5mm ²	Red, white, black	100m
CNB2/4	4	2.5mm ²	Red, white, black	100m





Apollo Series 65 Detectors

- Conventional detectors housed in an attractive white polycarbonate case
- Packaging designed to act as dust cover until commissioning of system
- Externally visible LED illuminates when detector changes to alarm state
- Approved to EN54-7:2000 or EN54-5:2000
- 9-33v supply voltage



ASD1

ApolloSeries 65Smoke Detectors

Product Code:

DETECTOR ASD1

DETECTOR ASD2

DETECTOR ASD3

Code	No. of batteries
ASD1	Ionisation smoke detector
ASD2	Optical smoke detector
ASD3	Integrating ionisation smoke detector



AHD1

ApolloSeries 65Heat Detectors

Product Code:

DETECTOR AHD1

DETECTOR AHD2

Code	Description	Temperature
AHD1	Class A1R	57°C
AHD2	Class BR	75°C

Apollo Series 65 Detector Base

Product Code:

DETECTOR BASE ADB

Code	Description
ADB	Diode detector base compatible with all series 65 detectors





XP95/S1

ApolloXP95 Addressable Detectors

Product Code:

DETECTOR XP95/S1 DETECTOR XP95/S2
DETECTOR XP95/H1 DETECTOR XP95/H2
DETECTOR XP95/M

- Intelligent smoke and heat detectors
- Open, digital protocol for error-free transmission
- Interfaces for optical system design

Code	Description
XP95/S1	Addressable ionisation smoke detector
XP95/S2	Addressable optical detector
XP95/H1	Addressable heat detector
XP95/H2	Addressable high temperature heat detector
XP95/M	Addressable multisensor detector



XP95/H2



XP95/M

ApolloXP95 Addressable Detector Bases

Product Code:

DETECTOR BASE XP95/DBC
CARD XP95/AC
DETECTOR BASE XP95/IDB

Code	Description
XP95/DBC	Addressable detector base with Xpert card
XP95/AC	Patented Xpert address card
XP95/IDB	Isolating addressable detector base





KAC MCP Manual Call Point

Product Code:

CALL POINT MCP1 CALL POINT MCP2
CALL POINT MCP3 CALL POINT MCP4

- Modern stylish design provides increased aesthetic appeal
- Test, reset and lid release facility – in one combined tool
- Plug in terminations for faster wiring and installation
- Can be used as either break glass or resettable call point
- EN54 compliant in any format
- Fully compatible with all current KAC mounting accessories



MCP1

Code	Description	Resistance
MCP1	Break glass operation, flush mounted	470 ohm
MCP2	Break glass operation, surface mounted	470 ohm
MCP3	Resettable operation, flush mounted	470 ohm
MCP4	Resettable operation, surface mounted	470 ohm



CPC1

FP585 Conventional Call Point

Product Code:

CALL POINT CPC1
CALL POINT CPC2
CALL POINT CPC3

- BSI approved to EN54
- Features a self-testing key facility
- Available in standard break glass and key operated versions

Code	Description	Resistance
CPC1	Surface mounted c/w backbox, break glass operation	470 ohm
CPC2	Surface mounted c/w cover and backbox, break glass operation	470 ohm
CPC3	Surface mounted c/w backbox, key operation	470 ohm



CPC3

Apollo XP95 Addressable Call Points

Product Code:

CALL POINT XP95/C1
CALL POINT XP95/C2

- Compatible with most addressable systems
- Available in surface or flush mounted models
- When operated, call point interrupts the polling cycle



XP95/C1

Code	Description
XP95/C1	Flush mounted addressable call point
XP95/C2	Surface mounted addressable call point





FP585 Call Point Accessories

Product Code:

GLASS CPG1 **GLASS CPG2**
KEY CPK1 **COVER CPH1** **SEAL KIT CPW1**

Code	Description	Dimensions	Pack Quantity
CPG1	Spare break glass to meet EN54	69mm x 62mm	10
CPG2	Old style spare glass - round	65mm diameter	10
CPK1	Plastic test key		10
CPH1	Polycarbonate hinged cover		1
CPW1	Weather resistant seal kit		1

KAC MCP Call Point Accessories

Product Code:

GLASS CPG4 **KEY CPK2**
COVER CPH2 **RESET CPE1**

Code	Description	Pack Quantity
CPG4	Spare break glass (76mm x 40mm)	10
CPK2	Test key/reset tool	10
CPH2	Transparent hinged cover	1
CPE1	Resettable element	10

XP95 Call Point Accessories

Product Code:

GLASS XP95

Code	Description	Pack Quantity
Glass XP95	XP95 branded spare break glass	10

MiniStopper Call Point Cover

Product Code:

COVER STI 6830 **COVER STI 6831**

- Aesthetic, inexpensive cover which prevents misuse of manual call points
- Constructed from tough clear polycarbonate
- Easy to install and can retrofit over an existing call point
- Available for flush or surface mounted products

Code	Description
STI 6830	Flush mounted Mini Stopper call point cover
STI 6831	Surface mounted Mini Stopper call point cover



STI 6830



STI 6530

Heavy Duty Call Point Cover

Product Code:

COVER STI 6530 **COVER STI 6531**
COVER STI 6532 **COVER STI 6533**

- Protective cover to help stop malicious or accidental false fire alarms
- Available for flush or surface mounted manual call points
- Constructed from tough clear polycarbonate
- Sounder versions include a piercing 120db sounder that is activated on lifting of cover

Code	Description
STI 6530	Flush mounted call point cover
STI 6531	Surface mounted call point cover
STI 6532	Flush mounted call point cover c/w sounder
STI 6533	Surface mounted call point cover c/w sounder





EBL1

Electronic Solenoid Bell

Product Code:

BELL EBL1 BELL EBL2 BELL EBW1 BELL EBW2

- 6" bell available in 24v dc and 220/240v ac versions
- Four-way terminal block provided for looping in and out
- Designed for single fast installation with components that easily clip together
- Base suitable for surface wiring without need for surface box or pattress

Code	Description	IP rating	Dimensions	Voltage
EBL1	Electronic bell	41	Ø155mm x D85mm	24v dc
EBL2	Electronic bell	42	Ø155mm x D85mm	240v ac
EBW1	Weather resistant elec. bell	55	Ø155mm x D85mm	24v dc
EBW2	Weather resistant elec. bell	55	Ø155mm x D85mm	240v ac

RoshniSounder

Product Code:

SOUNDER RSRI

- 28 signalling tones available
- High sound output (111db) with low current consumption
- 12v dc and 24v dc operation in the same unit - no adjustment required
- Automatic synchronised phased start
- Volume control as standard
- IP65 weatherproof



RSRI

Code	Description	Dimensions	Voltage	Colour
RSRI	Roshni sounder	Ø93mm x D105mm	12v dc/24v dc	Red with deepbase

SquashniSounder

Product Code:

SOUNDER SSW1 COVER SSC1

- Ultra slim profile for unobtrusive installation
- Fixing platform for detector bases and other devices
- Reduced installation costs
- Blank cover for use as stand alone sounder
- Choice of 3 different pre-set tones
- Volume control as standard



SSW1 with SSC1

Code	Description	Dimensions	Voltage	Colour
SSW1	Squashni sounder base	Ø112mm x D27mm	10-28v dc	White
SSC1	Squashni cover plate	n/a	n/a	White

AskariBedhead Sounder

Product Code:

SOUNDER ASW1

- 3 signal tones available
- Unobtrusive compact sounder for use in hotel bedrooms etc.
- Ideal for bedhead applications
- Encapsulated electronics

NB. No back box supplied



ASW1

Code	Description	Dimensions	Voltage	Colour
ASW1	Askari sounder	H86mm x W86mm x D36mm	9-28v dc	White





Flashn Combined Sounder and Beacon

Product Code:

SOUNDER FSR1

- Provides audio-visual warning for noisy areas, residential homes etc.
- Weather resistant to IP65
- High efficiency freznel lens for maximum light output
- Volume control as standard



FSR1

Code	Description	Dimensions	Voltage	Colour
FSR1	Flashni sounder beacon	Ø93 x H121mm	18-30 v dc	Red body/lens



RASI

Red Alarm Strobe

Product Code:

STROBE RASI

- IP65 rated led strobe light
- Output equivalent to 3w xenon beacon
- Supplied with whitebody and red lens as standard

Code	Dimensions	Voltage	Colour
RAS1	W112mm x D112mm x H87.5mm	24v dc	White body/red lens

Equipment Protective Cages

Product Code:

CAGE STI 9601 CAGE STI 9604

CAGE STI 9605 CAGE STI 9609


CAGE STI 9615 CAGE STI 9631

- Range of heavy duty tough protective cages that prevent vandalism or accidental damage of fire alarm and other equipment
- Cages suitable for smoke detectors, bells, beacons etc
- Constructed from galvanised steel rods and plastic coated
- Designed not to interfere with operation of protected unit
- Supplied with full fixing kit

Code	Application	Max Internal Ø	Min Internal Ø	Internal Depth
STI 9601	Detector - Flush Mtd	210mm	150mm	70mm
STI 9604	Detector - Flush Mtd	175mm	125mm	75mm
STI 9605	Detector - Surface Mtd	180mm	100mm	115mm
STI 9609	Detector - Flush Mtd	215mm	78mm	124mm
STI 9615	Sounder Cage	n/a	95mm	90mm
STI 9631	Bell Cage	n/a	270mm	152mm



STI 9604



STI 9631




STI 9615



Deafgard Fire Alarm Listening Device

Product Code:
DEAFGARD DFG1



Under the mandatory terms of the Disability Discrimination Act (DDA), effective 1 October 2004, all owners of commercial and public buildings are required to make adequate provision for the needs of the deaf and hard of hearing.

Deafgard offers the latest wire-free technology to ensure a safe, reliable and portable solution for communicating the sounding of the alarm to all guests whose hearing is impaired.



- Reliable, wire-free technology solution
- System automatically activates when the fire alarm sounds
- High-intensity flashing strobe provides visual indicator
- Under pillow pad vibrates to awaken guests
- Incorporates alarm clock facility
- Additional audible warning for hearing companion
- Ensures full compliance with DDA recommendations
- Ideal for hotels, care homes and other sleeping risk applications

TECHNICAL INFORMATION:

Overall height	115mm
Base unit height	55mm
Width	165mm
Depth	125mm
Weight	620g
Packed weight	750g
Casing material	ABS
Battery	4 x C size, alkaline (LR14)
Battery life	12 months

Did you know?...



The Disability Discrimination Act makes unlawful to discriminate against disabled people at work or in the provision of goods and services; reasonable adjustments need to be made to premises to make them accessible for disabled people.

Disabled Persons Alarm Kit

Product Code:
ALARM DPAl

- Designed for easy end user operation and simple engineer installation and maintenance
- Ideal for toilets, home use, care centres, nursing homes, medical centres etc
- Simple to wire operation
- Microprocessor controlled
- 3 Year warranty

Kit Contents:

- Control Unit with Built in Power Supply and Sounder
- Response Pull Cord Device
- Over-door Indicator Unit including Light & Sounder
- Surface Mount Remote Reset Boxes
- Disabled Persons Sticker
- Installation Instructions



DPAl





passive fire protection

7



PILLOW IFP60 in action

Fire Protection Pillows



Product Code:

PILLOW IFP60 PILLOW IFP175 PILLOW IFP200

- Flexible and versatile for large and small areas
- Ideal for use in temporary or permanent applications
- Contains intumescent material – when subjected to heat this expands to form a rigid, gas and flame tight seal for up to 4 hours
- Impervious to the penetration of water and humidity
- Not susceptible to insect or rodent attack

Code	Length	Width	Depth
IFP 60	300mm	60mm	40mm
IFP 175	300mm	175mm	40mm
IFP 200	300mm	200mm	40mm

Intumescent Downlighter Cover

Product Code:

COVER IDC1 COVER IDC2 COVER IDC3

- Prevents fire from penetrating the ceiling void and retains ceiling's fire protection integrity
- Meets BS EN 1365-2 2000 and BS 476 Part 23: 1987
- Easy to install with no screws, drilling or additional support and can be fitted from below or above the ceiling
- Maintenance free and can be used in suspended, plasterboard or concrete ceilings



COVER IDC1 in action

Code	Diameter	Height	Cut out Size
IDC 1	150mm	150mm	50-75mm
IDC 2	200mm	250mm	75-100mm
IDC 3	250mm	250mm	100-140mm



COVER FRL2 being installed

Fire Rated Luminaire Cover

Product Code:

COVER FRL1 COVER FRL2

- Designed to stop the passage of smoke and fire through a fire rated ceiling
- Will provide 60 minutes protection by completely containing the fire and smoke within the cover
- Fully tested to BS476 Part 20 and 23 clause 5
- Simple to install and can be fitted from above or below the ceiling
- Suitable for suspended and modular ceilings

Code	Length	Width	Depth
FRL 1	600mm	600mm	150mm
FRL 2	600mm	1200mm	150mm

first aid equipment

8



Premium 10 Person Catering Kit

Product Code:

FIRST AID PCK10

Contents: 6 Medium dressings 120 x 120mm, 2 Large dressings 180 x 180mm, 2 Eye pad dressings, 4 Triangular bandages, 1 Pair disposable gloves, 20 Blue detectable plasters, 6 individually wrapped wipes, 6 Safety pins, 1 First Aid Guidance leaflet



PCK10



PCK20

Premium 20 Person Catering Kit

Product Code:

FIRST AID PCK20

Contents: 9 Medium dressings 120 x 120mm, 3 Large dressings 180 x 180mm, 4 Eye pad dressings, 6 Triangular bandages, 2 Pair disposable gloves, 40 Blue detectable plasters, 10 individually wrapped wipes, 12 Safety pins, 1 First Aid Guidance leaflet

Premium 50 Person Catering Kit

Product Code:

FIRST AID PCK50

Contents: 12 Medium dressings 120 x 120mm, 4 Large dressings 180 x 180mm, 6 Eye pad dressings, 8 Triangular bandages, 3 Pair disposable gloves, 60 Blue detectable plasters, 20 individually wrapped wipes, 12 Safety pins, 1 First Aid Guidance leaflet



PCK50



PBK1



PBK2

Premium Burn Kit - Medium

Product Code:

FIRST AID PBK1

Contents: 1 Burnshield burn dressing 200mm x 200mm, 2 Burnshield burn dressings 100mm x 100mm, 2 Burn dressings DIN specification 60mm x 80mm, 8 Burn Blot sachets, 5 x 20ml Eye Wash pods, 1 Crepe bandage 10cm x 4.5cm, 2 Conforming bandages 7.5cm x 4.5m, 2 Pairs vinyl gloves, Microporous strapping 2.5cm x 5m, 1 Pair scissors

Premium Burn Kit - Large

Product Code:

FIRST AID PBK2

Contents: 2 Burnshield burn dressings 200mm x 200mm, 2 Burnshield burn dressings 100mm x 100mm, 4 Burn dressings DIN specification 60 x 80mm, 16 Burn Blot sachets, 5 x 20ml Eye Wash pods, 1 Crepe bandage 10cm x 4.5cm, 2 Conforming bandages 7.5cm x 4.5m, 2 Pairs vinyl gloves, Microporous



APF100



MRA1

Adhesive Plasters

Product Code:

PLASTER APF100 PLASTER APB100

Code	Description	Pack Qty	Plaster size
APF100	Fabric Plasters	100	Assorted
APB100	Blue Detectable	100	Assorted

Mouth-To-Mouth Resuscitation Aid

Product Code:

MASK MRA1



SSSI

Stainless Steel Scissors - 5"

Product Code:

SCISSORS SSSI

G

Gas Horn, Emergency	.81
Gate Valve	.21
Glas-Master	.66
Glass	
- Callpoint	.95
- Keybox	.65
Glass Tube, Panic Bolt	.74
Gong, Rotary Hand	.80
Grille, Intumescent	.100

H

Hammer & Chain	.65,74
Hammer, Emergency	.66
Heat Detector	
- Alarm System	.92-93
Hi-Viz Waistcoat	.62,110
Hinge, Fire Rated	.71
Horn	
- Gas	.81
- Mouth	.81
Hose	
- Fire	.21
- Layflat	.22
Hose Reel	.20
Hose Reel Accessories	.21
Hose Reel Cover	.44
Howler Site Alarm	.84-86
Hydrant Key	.22

I

Intumescent Products	.100-102
----------------------	----------

K

Keybox	.65
Keybox Glass	.65
Key	
- Fire Brigade	.76
- Hydrant	.22
Kit, Fire Warden	.63

L

Ladder, Escape	.67-68
Layflat Hose	.22
Layflat Hose Accessories	.23
Letterbox, Fire Protected	.72
Letterbox, Intumescent	.72,101
Lifefammer	.66
Light, Emergency	.77-78

Lightsticks	.64
Logbook, Fire	.45
Loudhailer	.63,80

M

Maglite Torch	.64
Manual Callpoints	.94
Mat, Brazing	.25
Megalarm	.82-83
Megaphone	.63,80
Mobile Fire Point	.41-43
Mouth Horn	.81

N

Nozzle, Hose	.21
Nozzle, Layflat Hose	.23

P

Padlock	
- Fire Brigade	.76
- General	.76
Panel, Fire Alarm	.90
Panic Bolt	.74
Panic Hardware	.70
Photoluminescent Signs	.52-56
Plasters	.109
Polythene, Fire Retardant	.25

R

Res-Q-Me	.66
Rotary Hand Bell	.80

S

Safe, Fireproof	.49-50
Sand, Fire	.24
Scissors, First Aid	.109
Screen, Fire Protection	.26-27
Seal	
- Fire Exit Door	.73
- Intumescent	.100
Signs	
- Escape Route	.52,57
- Extinguisher ID	.54,58
- Fire Action	.56,59
- Fire Warden, Telescopic	.63
- General Safety	.52-59
- Photoluminescent	.52-56
Site Safety Point	.41
Smoke Alarm, Battery-Operated	.87
Sounders, Alarm System	.96-97
Stainless Steel Extinguisher	.15
Stands, Extinguisher	.38-40
Standpipe	.22

Standpipe Accessories	.23
Storage	
- Document	.32,45
- Fire Equipment	.30-43
Strobe, Alarm System	.97

T

Threshold Seal	.101
Torch	.64
Transport Bracket, Extinguisher	.46
Trolley, Cabinet	.41
Trolley, Extinguisher	.41-43
Trolley, Howler	.43
Tube, Ceramic	.74
Tube, Glass	.74

V

Valve, Gate	.21
Vehicle Extinguisher Container	.34

W

Waistcoat, Fire Warden	.62
Waistcoat, First Aider	.110
Wallet, Fire Resistant	.49
Welding Screen	.26-27
Welding Screen Stand	.26
Wheeled Extinguisher	.19
Whistle	.81

